

Sappho

Limestone

Marini
Dupré
BY
DYNAMIC STONE

5 Textures | 5 Sizes | 5/8" Thickness



12" x 24", 16" x 32", 18" x 36"



24" x 24", 36" x 36"

1072_0521 Featured: Sappho

DCOF Testing	Results	Test	Results	Sizes
Century DCOF	0.71	Compression Breaking Load	930 Kg/cm ²	12" x 24" x 5/8"
Elektron DCOF	0.72	Compression B.L. after Freezing Test	870 Kg/cm ²	16" x 32" x 5/8"
Leather DCOF	0.49	Bending Strength	126 Kg/cm ²	18" x 36" x 5/8"
Micro DCOF	0.60	Volumetric Weight	2520 kg/m ³	24" x 24" x 5/8"
Monet DCOF	0.50	Water Absorption	2.3%	36" x 36" x 3/4"
		Apparent Porosity	5.9%	Chevron Tile 4" x 12"
		Thermal Linear Expansion Coefficient	5.3 106	Plank 8" x FL
		Abrasion Test	4.0 mm	Tile 4" x 16"
		Impact Test	40 cm	Hexagon Tile 8"
		Freeze-Defreeze Cycles	48 Cycles	2cm and 3cm Slabs Available
		Microscopic Properties	Calcite - 100%	Custom Sizes Available
			Quartz - 0%	
Mosaics				
				Random Interlocking Mosaic
				Stack 1" x 6"
				Hexagon 4"
				Custom Patterns Available

Texture Options

Symbols




Century Texture



Elektron Texture



Leather Texture



Micro Texture



Monet Texture



Floor & Wall



Natural



Residential



Commercial