

SILKY SUEDE

Possessing a unique touch, Silky Suede is a leather collection capable of adding emotion to every setting. Available in over 80 colours and customizable prints, Silky Suede embellishes both classic and modern ambiances.

Custom Colors Available

CHARACTERISTICS

Size	1,2-1,4 m ² 13-15 sf
Thickness	1,2/1,4 mm
Raw material origin	European Bovine
Type of tannage	Chrome
Dyeing	Aniline

PHYSICAL TEST

Rubbing resistance	50/min. 4 (dry) 20/min. 4 (wet)
Tear resistance	> 80 N
Tensile strength	> 10 N/mm ²
Water Vapour permeability	> 5 mg/cm ² h

LEATHER COMPLIANT TO

Cigarette test (BS 5852-1/79) – Match test
Cigarette test NFPA 260: 2003
IMO 652
IMVSS302
FS191 Method 5903 – Port Authority of NY & NJ
California TB 117 Section E

COMPLIANT ON REQUEST

FAR 25.853 (a)
FAR 25.853 (b)
UNI VF 9175 class1
IMO 653
BS 6853
DIN 5510
FS 191 Method 5903
Boston fire code BFD-IX-1

This leather is produced in conformity with REACH regulation

APPLICATIONS



AVAILABLE TREATMENTS

H2O 1
FIRST CLASS



SK 001




SK 004




SK 093




SK 074



SK 019




SK 108




SK 073



SK 013




SK 012




SK 015




SK 070




SK 095




SK 094



SK 082




SK 100



SK 109



SK 076



SK 099




SK 097



SK 098



SK 032



SK 096



SK 026



SK 029



SK 038




SK 040



SK 080



SK 101




SK 046



SK 079



SK 102




SK 062



SK 058




SK 059



SK 057



SK 111




SK 084




SK 105



SK 106




SK 054




SK 112



SK 104



SK 056



SK 089



SK 103




SK 023



SK 028



SK 050



SK 110



SK 007



SK 092



SK 002



SK 003




SK 091



SK 090




SK 010




SK 107



SK 065



SK 066




SK 086



SK 087



SK 067




SK 068




SK 061


AVAILABLE
EMBOSSED




A




B




C




D




E




F




G




H




I




L




M



N




O



P



Q



R



S



T



U



W



X

The standard placement of the plate are shown in the diagram below.


SUEDE

Average size 1,2-1,4 mq / 13-15 sf

PLATE

Plate size: 1000X1300 mm / 40X50 inches

OPTION 21



MAINTENANCE SUEDE

- Avoid placing leather in direct sun
- Keep the leather away from direct heat
- Dust regularly with a soft and dry cloth
- Spots can be cleaned with a lightly damp cloth and mild soap
- Dry immediately after the treatment
- Do not rub. Use a light circular motion working toward the centre of the stain

CLEANING SUEDE

The following guidelines will help you to maintain the beauty of suede without destroying any of the natural characteristics:

Dry carefully the area , and use one of the following methods.

Pre-testing on a hidden area.

Light cleaner

4Nubuck Foglizzo Light Cleaner will clean most stains and soiling from Nubuck leather. It is water based product that penetrates into the surface to clean without harming your Nubuck Leather.

Spray cream

4Nubuck Foglizzo Spray Cream will provide excellent protection for your Nubuck and Suede leathers against oil and water based spills.

Power Cleaner

4Nubuck Foglizzo Power Cleaner efficiently removes surplus fat and oil spots on Nubuck leather. It is to be used for oil based stains. Try first to clean the stain with 4Nubuck Foglizzo Cleaning Cloth and 4Nubuck Foglizzo Light Cleaner. If this is not successful, use this product.