

American Tin CEILINGS™

PATTERN #1 / *Spec Sheet*

Single Panel View *(shown Nail-Up edge)*



Multiple Panel View



PATTERN #1:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In ☐ Snap Lock ☐ Acoustic Nail-Up ☐ Acoustic Drop-In

ACCESSORIES:

Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Matching Switch Plates

☐ 2” Acoustical Pad (for Acoustic Tiles only)


SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)

888.231.7500 1825 60th Place East, Bradenton, FL pinterest.com/americantinceilings facebook.com/americantinceilings instagram.com/americantinceilings


American Tin CEILINGS™

PATTERN #2 / Spec Sheet

Single Panel View (shown Nail-Up edge)



Multiple Panel View



PATTERN #2:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In ☐ Snap Lock ☐ Acoustic Nail-Up ☐ Acoustic Drop-In

ACCESSORIES:

Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Matching Switch Plates

☐ 2” Acoustical Pad (for Acoustic Tiles only)


SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)

888.231.7500 1825 60th Place East, Bradenton, FL pinterest.com/americantinceilings facebook.com/americantinceilings instagram.com/americantinceilings


American Tin CEILINGS™

PATTERN #3 / *Spec Sheet*

Single Panel View *(shown Nail-Up edge)*



Multiple Panel View



PATTERN #3:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In ☐ Backsplash ☐ Snap Lock ☐ Acoustic Nail-Up ☐ Acoustic Drop-In

ACCESSORIES:


Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Inside “L” Molding ☐ Edge “J” Molding
☐ Matching Switch Plates ☐ 2” Acoustical Pad (for Acoustic Tiles only)

SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)


American Tin CEILINGS™

PATTERN #4 / Spec Sheet

Single Panel View (shown Nail-Up edge)



Multiple Panel View



PATTERN #4:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In ☐ Snap Lock ☐ Acoustic Nail-Up ☐ Acoustic Drop-In

ACCESSORIES:

Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Matching Switch Plates


☐ 2” Acoustical Pad (for Acoustic Tiles only)

SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)


American Tin CEILINGS™

PATTERN #5 / *Spec Sheet*

Single Panel View *(shown Nail-Up edge)*



Multiple Panel View



PATTERN #5:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In ☐ Snap Lock ☐ Acoustic Nail-Up ☐ Acoustic Drop-In

ACCESSORIES:

Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Matching Switch Plates


☐ 2” Acoustical Pad (for Acoustic Tiles only)

SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)


American Tin CEILINGS™

PATTERN #6 / Spec Sheet

Single Panel View (shown Nail-Up edge)



Multiple Panel View



PATTERN #6:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In ☐ Snap Lock ☐ Acoustic Nail-Up ☐ Acoustic Drop-In

ACCESSORIES:

Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Matching Switch Plates


☐ 2” Acoustical Pad (for Acoustic Tiles only)

SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)


American Tin CEILINGS™

PATTERN #7 / *Spec Sheet*

Single Panel View *(shown Nail-Up edge)*



Multiple Panel View



PATTERN #7:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In

ACCESSORIES:


Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Matching Switch Plates

SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)


American Tin CEILINGS™

PATTERN #8 / *Spec Sheet*

Single Panel View *(shown Nail-Up edge)*



Multiple Panel View



PATTERN #8:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In ☐ Snap Lock ☐ Acoustic Nail-Up ☐ Acoustic Drop-In

ACCESSORIES:

Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Matching Switch Plates


☐ 2” Acoustical Pad (for Acoustic Tiles only)

SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)


American Tin CEILINGS™

PATTERN #9 / *Spec Sheet*

Single Panel View *(shown Nail-Up edge)*



Multiple Panel View



PATTERN #9:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In

ACCESSORIES:


Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Matching Switch Plates

SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)


American Tin CEILINGS™

PATTERN #10 / *Spec Sheet*

Single Panel View *(shown Nail-Up edge)*



Multiple Panel View



PATTERN #10:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In ☐ Snap Lock ☐ Acoustic Nail-Up ☐ Acoustic Drop-In

ACCESSORIES:

Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Matching Switch Plates


☐ 2” Acoustical Pad (for Acoustic Tiles only)

SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)


American Tin CEILINGS™

PATTERN #11 / *Spec Sheet*

Single Panel View *(shown Nail-Up edge)*



Multiple Panel View



PATTERN #11:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In ☐ Snap Lock™

ACCESSORIES:


Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Matching Switch Plates

SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)


American Tin CEILINGS™

PATTERN #12 / *Spec Sheet*

Single Panel View *(shown Nail-Up edge)*



Multiple Panel View



PATTERN #12:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In ☐ Snap Lock ☐ Acoustic Nail-Up ☐ Acoustic Drop-In

ACCESSORIES:

Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Matching Switch Plates


☐ 2” Acoustical Pad (for Acoustic Tiles only)

SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)


American Tin CEILINGS™

PATTERN #13 / *Spec Sheet*

Single Panel View *(shown Nail-Up edge)*



Multiple Panel View



PATTERN #13:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In ☐ Snap Lock™

ACCESSORIES:


Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Matching Switch Plates

SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)


American Tin CEILINGS™

PATTERN #14 / Spec Sheet

Single Panel View (shown Nail-Up edge)



Multiple Panel View



PATTERN #14:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In ☐ Snap Lock ☐ Acoustic Nail-Up ☐ Acoustic Drop-In

ACCESSORIES:

Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Matching Switch Plates


☐ 2” Acoustical Pad (for Acoustic Tiles only)

SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)


American Tin CEILINGS™

PATTERN #15 / *Spec Sheet*

Single Panel View *(shown Nail-Up edge)*



Multiple Panel View



PATTERN #15:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In

ACCESSORIES:

Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Matching Switch Plates


SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)

888.231.7500 1825 60th Place East, Bradenton, FL pinterest.com/americantinceilings facebook.com/americantinceilings instagram.com/americantinceilings


American Tin CEILINGS™

PATTERN #16 / Spec Sheet

Single Panel View (shown Nail-Up edge)



Multiple Panel View



PATTERN #16:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In ☐ Backsplash ☐ Snap Lock ☐ Acoustic Nail-Up ☐ Acoustic Drop-In

ACCESSORIES:


Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Inside “L” Molding ☐ Edge “J” Molding
☐ Matching Switch Plates ☐ 2” Acoustical Pad (for Acoustic Tiles only)

SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)


American Tin CEILINGS™

PATTERN #17 / *Spec Sheet*

Single Panel View *(shown Nail-Up edge)*



Multiple Panel View



PATTERN #17:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In ☐ Backsplash ☐ Snap Lock ☐ Acoustic Nail-Up ☐ Acoustic Drop-In

ACCESSORIES:


Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Inside “L” Molding ☐ Edge “J” Molding
☐ Matching Switch Plates ☐ 2” Acoustical Pad (for Acoustic Tiles only)

SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)


American Tin CEILINGS™

PATTERN #18 / *Spec Sheet*

Single Panel View *(shown Nail-Up edge)*



Multiple Panel View



PATTERN #18:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In ☐ Snap Lock ☐ Acoustic Nail-Up ☐ Acoustic Drop-In

ACCESSORIES:

Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Matching Switch Plates


☐ 2” Acoustical Pad (for Acoustic Tiles only)

SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)


American Tin CEILINGS™

PATTERN #19 / *Spec Sheet*

Single Panel View *(shown Nail-Up edge)*



Multiple Panel View



PATTERN #19:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In ☐ Backsplash ☐ Snap Lock ☐ Acoustic Nail-Up ☐ Acoustic Drop-In

ACCESSORIES:


Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Inside “L” Molding ☐ Edge “J” Molding
☐ Matching Switch Plates ☐ 2” Acoustical Pad (for Acoustic Tiles only)

SUBMITTED TO: _____ COMPANY: _____ DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____ COMPANY: _____ DATE: _____	
PROJECT NAME: _____ REMARKS: _____	(Signature / Title)


American Tin CEILINGS™

PATTERN #20 / *Spec Sheet*

Single Panel View *(shown Nail-Up edge)*



Multiple Panel View



PATTERN #20:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In ☐ Backsplash ☐ Snap Lock ☐ Acoustic Nail-Up ☐ Acoustic Drop-In

ACCESSORIES:


Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Inside “L” Molding ☐ Edge “J” Molding
☐ Matching Switch Plates ☐ 2” Acoustical Pad (for Acoustic Tiles only)

SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)


American Tin CEILINGS™

PATTERN #21 / *Spec Sheet*

Single Panel View *(shown Nail-Up edge)*



Multiple Panel View



PATTERN #21:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In ☐ Backsplash ☐ Snap Lock ☐ Acoustic Nail-Up ☐ Acoustic Drop-In

ACCESSORIES:


Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Inside “L” Molding ☐ Edge “J” Molding
☐ Matching Switch Plates ☐ 2” Acoustical Pad (for Acoustic Tiles only)

SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)


American Tin CEILINGS™

PATTERN #22 / *Spec Sheet*

Single Panel View *(shown Nail-Up edge)*



Multiple Panel View



PATTERN #22:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In ☐ Snap Lock™

ACCESSORIES:


Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Matching Switch Plates

SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)


American Tin CEILINGS™

PATTERN #23 / *Spec Sheet*

Single Panel View *(shown Nail-Up edge)*



Multiple Panel View



PATTERN #23:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In ☐ Snap Lock ☐ Acoustic Nail-Up ☐ Acoustic Drop-In

ACCESSORIES:

Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Matching Switch Plates


☐ 2” Acoustical Pad (for Acoustic Tiles only)

SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)


American Tin CEILINGS™

PATTERN #24 / *Spec Sheet*

Single Panel View *(shown Nail-Up edge)*



Multiple Panel View



PATTERN #24:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In ☐ Snap Lock ☐ Acoustic Nail-Up ☐ Acoustic Drop-In

ACCESSORIES:

Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Matching Switch Plates


☐ 2” Acoustical Pad (for Acoustic Tiles only)

SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)


American Tin CEILINGS™

PATTERN #25 / *Spec Sheet*

Single Panel View *(shown Nail-Up edge)*



Multiple Panel View



PATTERN #25:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In ☐ Snap Lock ☐ Acoustic Nail-Up ☐ Acoustic Drop-In

ACCESSORIES:

Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Matching Switch Plates


☐ 2” Acoustical Pad (for Acoustic Tiles only)

SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)


American Tin CEILINGS™

PATTERN #26 / *Spec Sheet*

Single Panel View *(shown Nail-Up edge)*



Multiple Panel View



PATTERN #26:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In ☐ Snap Lock™

ACCESSORIES:

Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Matching Switch Plates


SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)

888.231.7500 1825 60th Place East, Bradenton, FL pinterest.com/americantinceilings facebook.com/americantinceilings instagram.com/americantinceilings


American Tin CEILINGS™

PATTERN #27 / *Spec Sheet*

Single Panel View *(shown Nail-Up edge)*



Multiple Panel View



PATTERN #27:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In ☐ Backsplash ☐ Snap Lock ☐ Acoustic Nail-Up ☐ Acoustic Drop-In

ACCESSORIES:


Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Inside “L” Molding ☐ Edge “J” Molding
☐ Matching Switch Plates ☐ 2” Acoustical Pad (for Acoustic Tiles only)

SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)


American Tin CEILINGS™

PATTERN #28 / *Spec Sheet*

Single Panel View *(shown Nail-Up edge)*



Multiple Panel View



PATTERN #28:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In ☐ Snap Lock™

ACCESSORIES:

Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Matching Switch Plates


SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)

888.231.7500 1825 60th Place East, Bradenton, FL pinterest.com/americantinceilings facebook.com/americantinceilings instagram.com/americantinceilings


American Tin CEILINGS™

PATTERN #29 / *Spec Sheet*

Single Panel View *(shown Nail-Up edge)*



Multiple Panel View



PATTERN #29:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In ☐ Snap Lock ☐ Acoustic Nail-Up ☐ Acoustic Drop-In

ACCESSORIES:

Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Matching Switch Plates


☐ 2” Acoustical Pad (for Acoustic Tiles only)

SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)


American Tin CEILINGS™

PATTERN #30 / *Spec Sheet*

Single Panel View *(shown Nail-Up edge)*



Multiple Panel View



PATTERN #30:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In ☐ Backsplash ☐ Snap Lock ☐ Acoustic Nail-Up ☐ Acoustic Drop-In

ACCESSORIES:


Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Inside “L” Molding ☐ Edge “J” Molding
☐ Matching Switch Plates ☐ 2” Acoustical Pad (for Acoustic Tiles only)

SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)


American Tin CEILINGS™

PATTERN #31 / *Spec Sheet*

Single Panel View *(shown Nail-Up edge)*



Multiple Panel View



PATTERN #31:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In ☐ Backsplash ☐ Snap Lock ☐ Acoustic Nail-Up ☐ Acoustic Drop-In

ACCESSORIES:


Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Inside “L” Molding ☐ Edge “J” Molding
☐ Matching Switch Plates ☐ 2” Acoustical Pad (for Acoustic Tiles only)

SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)


American Tin CEILINGS™

PATTERN #32 / *Spec Sheet*

Single Panel View *(shown Nail-Up edge)*



Multiple Panel View



PATTERN #32:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In ☐ Snap Lock ☐ Acoustic Nail-Up ☐ Acoustic Drop-In

ACCESSORIES:

Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Matching Switch Plates

☐ 2” Acoustical Pad (for Acoustic Tiles only)


SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)

888.231.7500 1825 60th Place East, Bradenton, FL pinterest.com/americantinceilings facebook.com/americantinceilings instagram.com/americantinceilings


American Tin CEILINGS™

PATTERN #33 / *Spec Sheet*

Single Panel View *(shown Nail-Up edge)*



Multiple Panel View



PATTERN #33:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In

ACCESSORIES:

Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Matching Switch Plates


SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)

888.231.7500 1825 60th Place East, Bradenton, FL pinterest.com/americantinceilings facebook.com/americantinceilings instagram.com/americantinceilings


American Tin CEILINGS™

PATTERN #34 / Spec Sheet

Single Panel View (shown Nail-Up edge)



Multiple Panel View



PATTERN #34:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Drop-In

ACCESSORIES:

Accessories: ☐ Crown Molding ☐ Flat Molding


SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)

888.231.7500 1825 60th Place East, Bradenton, FL pinterest.com/americantinceilings facebook.com/americantinceilings instagram.com/americantinceilings


American Tin CEILINGS™

PATTERN #35 / *Spec Sheet*

Single Panel View *(shown Nail-Up edge)*



Multiple Panel View



PATTERN #35:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In ☐ Backsplash ☐ Snap Lock ☐ Acoustic Nail-Up ☐ Acoustic Drop-In

ACCESSORIES:


Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Inside “L” Molding ☐ Edge “J” Molding
☐ Matching Switch Plates ☐ 2” Acoustical Pad (for Acoustic Tiles only)

SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)


American Tin CEILINGS™

PATTERN #36 / Spec Sheet

Single Panel View (shown Nail-Up edge)



Multiple Panel View



PATTERN #36:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In ☐ Backsplash ☐ Snap Lock ☐ Acoustic Nail-Up ☐ Acoustic Drop-In

ACCESSORIES:


Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Inside “L” Molding ☐ Edge “J” Molding
☐ Matching Switch Plates ☐ 2” Acoustical Pad (for Acoustic Tiles only)

SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)


American Tin CEILINGS™

PATTERN #37 / *Spec Sheet*

Single Panel View *(shown Nail-Up edge)*



Multiple Panel View



PATTERN #37:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In ☐ Backsplash ☐ Snap Lock ☐ Acoustic Nail-Up ☐ Acoustic Drop-In

ACCESSORIES:


Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Inside “L” Molding ☐ Edge “J” Molding
☐ Matching Switch Plates ☐ 2” Acoustical Pad (for Acoustic Tiles only)

SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)


American Tin CEILINGS™

PATTERN #38 / *Spec Sheet*

Single Panel View *(shown Nail-Up edge)*



Multiple Panel View



PATTERN #38:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In ☐ Acoustic Nail-Up ☐ Acoustic Drop-In

ACCESSORIES:

Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Matching Switch Plates
☐ 2” Acoustical Pad (for Acoustic Tiles only)


SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)

888.231.7500 1825 60th Place East, Bradenton, FL pinterest.com/americantinceilings facebook.com/americantinceilings instagram.com/americantinceilings


American Tin CEILINGS™

PATTERN #39 / *Spec Sheet*

Single Panel View *(shown Nail-Up edge)*



Multiple Panel View



PATTERN #39:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In ☐ Backsplash

ACCESSORIES:

Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Inside “L” Molding ☐ Edge “J” Molding ☐ Matching Switch Plates


SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)

888.231.7500 1825 60th Place East, Bradenton, FL pinterest.com/americantinceilings facebook.com/americantinceilings instagram.com/americantinceilings


American Tin CEILINGS™

PATTERN #41 / *Spec Sheet*

Single Panel View *(shown Nail-Up edge)*



Multiple Panel View



PATTERN #41:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In ☐ Acoustic Nail-Up ☐ Acoustic Drop-In

ACCESSORIES:


Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Matching Switch Plates
☐ 2” Acoustical Pad (for Acoustic Tiles only)

SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)


American Tin CEILINGS™

PATTERN #42 / *Spec Sheet*

Single Panel View *(shown Nail-Up edge)*



Multiple Panel View



PATTERN #41:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In

ACCESSORIES:

Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Matching Switch Plates


SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)

888.231.7500 1825 60th Place East, Bradenton, FL pinterest.com/americantinceilings facebook.com/americantinceilings instagram.com/americantinceilings


American Tin CEILINGS™

FILLER PATTERN #1 / *Spec Sheet*

Single Panel View *(shown Nail-Up edge)*



Multiple Panel View



FILLER PATTERN #1:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In ☐ Backsplash ☐ Acoustic Nail-Up ☐ Acoustic Drop-In

ACCESSORIES:


Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Inside “L” Molding ☐ Edge “J” Molding
☐ Matching Switch Plates ☐ 2” Acoustical Pad (for Acoustic Tiles only)

SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)


American Tin CEILINGS™

FILLER PATTERN #2 / Spec Sheet

Single Panel View (shown Nail-Up edge)



Multiple Panel View



FILLER PATTERN #2:

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Nail-Up ☐ Drop-In ☐ Backsplash ☐ Acoustic Nail-Up ☐ Acoustic Drop-In

ACCESSORIES:


Accessories: ☐ Crown Molding ☐ Flat Molding ☐ Inside “L” Molding ☐ Edge “J” Molding
☐ Matching Switch Plates ☐ 2” Acoustical Pad (for Acoustic Tiles only)

SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)


American Tin CEILINGS™

BLANK PATTERN / *Spec Sheet*

Single Panel View *(shown Nail-Up edge)*



Multiple Panel View



BLANK PATTERN

- Size: 2’ x 2’
- Weight: 2 lbs.
- Material: T1 grade tin-plated steel
- Finishes: Raw, Powder-Coat, or Powder-Coat & Hand Finish (Artisan)
- Colors: Over 50 Colors
- Fire Rating: ASTM E 84-03b
- Thickness: .010”
- Made in USA

COLORS:

Color Code: _____ (reference Color Chart under tab “Colors & Patterns”)

INSTALLATION TYPES:

Installation Type: ☐ Drop-In

ACCESSORIES:

Accessories: ☐ Crown Molding ☐ Flat Molding

SUBMITTED TO: _____	COMPANY: _____	DATE: _____	☐ ACCEPTED ☐ NOT ACCEPTED ☐ MODIFIED ☐ RESUBMIT
SUBMITTED BY: _____	COMPANY: _____	DATE: _____	
PROJECT NAME: _____	REMARKS: _____		(Signature / Title)