

adore[®]

DECORIA

LUXURY VINYL FLOORING

for commercial space



adore.

DECORIA

A NEW GENERATION OF INNOVATION
IN LUXURY VINYL FLOORING

DECORIA by Adore®

Adore®, the world's most trusted brand in luxury vinyl flooring, introduces a new generation of innovation in high performance resilient flooring with the reinvention of our flagship line, Decoria.

NEW Decoria combines beauty, resilience and reliability with a designer driven palette of both contemporary and classic design. The result is a tough and versatile floor that transcends a variety of interior spaces and projects.

This Decoria generation continues the Adore® legacy of superior technology and design in manufacturing; and represents the manifestation of our unsurpassed experience, diligence and dedication to the highest standard of quality in the resilient flooring industry, bar none.

Thank you for taking a moment to explore our product lines and recognize the Adore® advantage.

ADORE®....UNWAIVERING
IN OUR DEDICATION
TO THE HIGHEST
STANDARD OF QUALITY
IN LUXURY RESILIENT FLOORING.



THE 5TH WALL

Modern interior design conceptualizes space in new and inventive fashion, bending the rules to marry styles in a sophisticated, new light.

Decoria brings character to design scape, serving as a focal point, your 5th wall. Mix and match the patterns and sizes to create your own unique signature style.

With the natural flexibility of LVT and the variety of style options Decoria has to offer, your creativity is limitless.

LONG TILES | 12.36 X 24.60"

Dimensions:

12.36 x 24.6" nominal / 314 x 625 mm

Overall Gauge: 0.12" / 3 mm

Wear Layer: 22 mil / 0.55 mm

Per box: 18 tiles, 38.16 sq ft, 38.00 lbs



STORYBOXES | RS T701



SAWYER | RS T703



JETTY | CO W665



SOLSTICE ICE | CO W661




MATCHSTICKS | LI T011



MATCHSTICKS GRAY | LI T012



ALBATROSS | TV 503



WEST END GRAY | TV 505







SQUARE TILES | 18.5 X 18.5"

Dimensions:

18.5 x 18.5" nominal, 470 x 470 mm

Overall Gauge: 0.12" / 3 mm

Wear Layer: 22 mil / 0.55 mm

Per box: 16 tiles, 35.66 sq ft, 38.0 lbs




BRIGANDINE | MC 2711



NEW MOON | MC 2716




FRESCO | SL 814




REMBRANDT | SL 815




CATHEDRAL | SL 819




TRIUMPH | CO T411



CORONA | CO T412



DAIQUIRI | CO T413



COLORADO | CO T403



HIGH PERFORMANCE FLOORING EXCEEDS THE LIMITS OF DESIGN SPACES

Through proprietary technologies used in the manufacturing and engineering of Decoria, concepts in design can transcend the parameters of traditional use.

Beautiful, durable Decoria floors are a solid choice for applications that require fortification against the abuse and demands of commercial foot traffic, also spaces where environmental control and hygiene are a priority and anywhere ease of maintenance is desired.

Applications such as:

- Medical/Wellness Centers, Hospitals
- Retail: Main Street and Mall
- Education
- Corporate/Office Buildings
- Restaurants
- Hotels/Student Residences/Apartment buildings
- Hospitality
- Assisted Living
- Vestibules and Lobbies
- Supply Stores
- Fitness Centers
- Public Spaces - Museums, Libraries, Municipal



LONG PLANKS | 7 X 48"

Dimensions: 7 x 48" nominal / 178 x 1219 mm

Overall Gauge: 0.12" / 3 mm

Wear Layer: 22 mil / 0.55 mm

Per box: 15 planks, 35.00 sq ft, 38.0 lbs




SAMBA | WA C641




SUNDANCE | WA C642



RIPPLE | WA C643



CUATRO | WA W131



ST. LUCIA | WA W132




OILED PEAR | TE P631



REVIVAL | RP B051




LUMINIST | RP B054



MEMORY BOX | LI L010




RAIN STORM | LI L020



GOSLING | LI L030




IN THE EVENING | LI L040



BUFFALO NICKEL | WO D051



WELLINGTON | WO D061



WHITE CROCUS | WO D042



KAIHALULU | WO D034



STORYTELLER | HI H211



CHIPPENDALE | HI H212

WE ARE INNOVATORS

Technology expands possibilities. Innovation is the successful implementation of those possibilities. Decoria is the full realization of Adore's innovation.

Decoria includes:

MicroCeramic™, a technological process whereby micro-sized silica beads are embedded in the wear layer to reinforce durability and improve scratch and scuff resistance while maintaining optic clarity for maximum visual appeal over the longest duration of time.

CleanTech™, Decoria's microbiostat technology, is an EPA certified antimicrobial treatment made from both organic and inorganic compounds. Proven more effective than alternate microbiostats, CleanTech™ is longer lasting, offers resistance to temperature changes and is certified safe for the environment.

Duramond™ technology combines a superior annealing process with nano-silica beads that are incorporated into the surface layer suspension. The benefits of Duramond™ include a harder, more durable surface that can stand up to the daily abuses of commercial traffic.

micro
ceramic
enhanced wear layer









LONG PLANKS | 7.0 X 48.0"

Dimensions: 7 x 48" nominal / 178 x 1219 mm


Overall Gauge: 0.12" / 3 mm

Wear Layer: 22 mil / 0.55 mm

Per box: 15 planks, 36.9 sq ft, 38.0 lbs




GLACIER | MA M006



MAPLE TOFFEE | MA M002



SWEET CREAM | MA M004



NEW MOON | SO W153



TINSDALE | TK T112



WIDE PLANKS | 7.2" X 37.4"

Dimensions: 7.2" x 37.4" nominal / 184 x 950 mm

Overall Gauge: 0.12" / 3 mm

Wear Layer: 22 mil / 0.55 mm

Per box: 19 planks, 35.76 sq ft, 38.0 lbs



DANGRIGA | TE R039




ASH AND EMBER | RU 8114



CAYO | RP 9003



SOLEIL | RP 7120



BUTTER CREAM | RP 1791

DECORIA...A NEW GENERATION

In 1979, Adore stewarded the luxury vinyl flooring industry's environmental movement, pioneering the eco-friendly manufacturing of luxury vinyl flooring from post-consumer recycled material in a cradle-to-cradle manufacturing processes.

Today's generation of Decoria is the first in 40 years to be made from 100% phthalate-free virgin vinyl, a change that addresses the demands of today's market.

Vinyl remains a renewable, reusable and 100% recyclable resource. Future generations of Decoria will once again become part of our proprietary manufacturing and reclamation process.

Adore is steadfast in its mission to remain a leader in environmental responsibility.

BREATHE EASY, DECORIA IS FLOORScore® CERTIFIED

Use of Decoria, a FloorScore® certified product, helps contribute to a healthier, cleaner indoor environment.

FloorScore®'s certification is primarily concerned with the emission levels of specific volatile organic compounds (VOCs). Certification requires compliance with the most stringent tests conducted and measured by Scientific Certification Systems, an independent 3rd party testing facility.





WIDE PLANKS | 7.2 X 37.4"

Dimensions: 7.2 x 37.4" nominal / 184 x 950 mm


Overall Gauge: 0.12" / 3 mm

Wear Layer: 22 mil / 0.55 mm


Per box: 19 planks, 35.76 sq ft, 38.0 lbs



LUCKY PENNY | SO 1403



STRAIGHT UMBER | SO 1713



WEATHERED GRAY | SO 1741



HONEY BEE | BA 6710



SUGAR CANE | BA 6714









STANDARDS OF QUALITY

Decoria's specifications assure that the product meets all industry-standard criteria for resilient vinyl floors from ADA and OSHA anti-slip performance to backings that can withstand indentation resistance up to 1,500 pounds per square inch.

Adore factories are FloorScore®, ISO 9001:2000, ISO 14001:2004 certified, ensuring the best environmental practices are used in the production of our flooring and that our products meet the highest standards of quality expected in the industry today.

Throughout the history of luxury vinyl flooring Adore has earned both reputation and accolades as a pioneer of flooring invention...from the use of advanced technologies in product features to the continual review and refinement of our manufacturing process, Adore focuses on improving the industry and ourselves....everyday!



WARRANTY • 25 YEARS COMMERCIAL | LIFETIME RESIDENTIAL



DECORIA SPECIFICATIONS

ASTM F1700-96, Class III, Type B | Heterogeneous vinyl flooring made from 100% virgin vinyl

	STANDARD	RESULT	EU Standard	EU Result
Fire			EN 13501-1	Bfl-S1
Critical Radiant Flux	ASTM E648	Class 1	Mekel Burner Test	Pass
Smoke Density	ASTM E662	≤450	ONORM B3800	Q1
Short Term & Residual Indentation	ASTM F1914	≤ 8%	EM 433	≤ 0.08 mm
Flexibility	ASTM F137	Passes 6mm Mandrel	EN 345-A	No Cracks
Overall Thickness	ASTM F386	0.120"		3 mm
Wear Layer Thickness	ASTM F410	22 mil		0.55 mm
Dimensional Stability	ASTM F2199	Pass	EN 434	Pass
Size & Squareness	ASTM F2421	Pass		
Co-efficient of Friction	ASTM 2047	Meets ADA Recommendation < .6		
Chemical Resistance	ASTM F925 (24 hours)	No Change		
Color Fastness	ISO 105 - B02	> Grade 6		
Radiant Heat Stability	Up to 85° F		Up to 280C	
Light Stability	ASTM 1515	< 8.0 Delta E (No Change)		
Heat Stability	ASTM 1514	< 8.0 Delta E (No Change)		
Castor Chair Test	ISO 4918 25,000 cycles	No surface effect, no delamination	Excellent	
Rolling Load	ASTM F2753	No gloss change or visible indentation		
VOC Emissions	CHPS Sec. 1350, OEJJA, Prop 5, CA EPA TAC's	Excellent - Well below acceptable CREL Levels	BS 5666: Part 6 EN 717-2	Undetectable Pass
Sound Transmission Loss (STC)	ASTM E90	53		



FOR MORE INFORMATION,
INCLUDING INSTALLATION
INSTRUCTIONS,
WARRANTY INFORMATION,
PLEASE VISIT US ONLINE AT
ADOREFLOORS.COM



5 DUBON COURT, FARMINGDALE, NY 11735
631-843-0900 • info@adorefloors.com • 877-359-5095