

GLASS WALLS > Officefronts



Slim




Simple



Warehouse





Simple Double



CARVART offers three diverse and aesthetically progressive options for glass office front partition systems. Each is designed with a minimal focus on site-lines, easy installation and a wide range of functional design options to successfully configure any office layout. The line provides for creating uniqueness and fresh visual appeal with a range of choices: minimal, frameless looks or fully-framed solutions, both that are high on privacy and acoustics without losing an aesthetic integrity. For those facilities in search of a warehouse-style appearance, all three systems provide for applied mullions that delivers great looking segmented visuals across the wall. The CARVART Slim and Simple lines are available with a total of nine different opening and door options including sliding and swing doors and a range of interchangeable details where designers can tailor each project layout to address the visual image and performance requirements for individual offices and conferences rooms throughout a facility.



With a wide range of metal finishes and glass options to customize any look or performance level, the CARVART glassWALLS > Officefronts offer a near-infinite selection of design options to complement any sleek office design while delivering the highest level of standard in quality, design integrity and uniqueness.

Types





glassWALLS > Slim (SLIM-PF)

The ground-breaking Slim Frame system boasts minimal profiles and frameless design while still being easy-to-install with an innovative two-piece channel that truly revolutionizes installation and minimizes labor time. Offering a unique and innovative two-piece channel that marries ease-of-installation with minimal site-lines and aluminum extrusions, Slim Frame offers the latest features to help get projects up and running on-time and on-budget. The system has a multitude of opening, door and design detail options that allow almost any partition and door configuration





glassWALLS > Simple (SIMP-PF)

The Simple Frame office front system offers a design alternative to our Slim profile but includes the same easy-to-install two-piece channel that enables easy adjustability of glass panels resulting in lower labor costs and any chance of improper glass alignment. The system is completely dry-glazed and comes with all the needed extrusions and components to complete any office front layout without the need for messy silicone.



glassWALLS > Simple Double (SIMP-2X)


Simple Double marries the subtle elegance of a minimal framing system with the optimal level of acoustics. Designed to house two complementary or contrasting panes of glass, the Simple Double wall offers superior acoustic isolation for the office or conference space and can easily integrate with the CARVART Slim and Simple single systems or perform on its own.



glassWALLS > Warehouse (SLIM-PF, SIMP-PF)


The Slim and Simple systems also come with a “warehouse” design option that includes vertical and horizontal mullions to add a clean, industrial look to these office fronts. The Simple system offers a unique design alternative to the Slim and includes improved adjustability during installation with similar door and opening options and design alternatives to improve not only aesthetics but also privacy and acoustic performance.

Features and Benefits




DESIGN APPEAL

CARVART office front systems offer unparalleled modern elegance for the modern facility using low-profile frames and discreet glass-to-glass joinery. Add to the look as desired with vertical posts as well as the option of segmented mullions that deliver a contemporary warehouse style appearance. Hardware metals are coated to minimize any fingerprints and be scratch-resistant. We deliver the broadest array of leading edge sophistication and when combined with the limitless choice of CARVART Architectural Glass, our office fronts deliver a unique, impactful appearance in a space.




EASE OF INSTALLATION

CARVART understands the costs and complexities of the design and management of installing walls in a new project or renovation. First, all CARVART office front wall systems are dry-glazed assemblies that come together easily without complicated adhesive methods. All wall frame components are engineered as a two-piece assembly with a removable front plate that make them easy to cut and fit-and-finish in the field. Secondly, internal levels offer installer easy access to simple turn-and-tune adjustability so each glass panel sits properly to help compensate for off-level floors and alignment of patterns. CARVART office front solutions deliver flexibility and options not commonly found in most other modular office partitions.



LIFE-CYCLE/MAINTENANCE

When it comes to interior remodeling and office wall build-outs, configuring your space is a big commitment. CARVART has a strong eye on the design of our office fronts that make them easy to manage through their life cycle and removable, movable and reusable, should the office design migrate over time. Enjoy the financial benefits of modular portability and sustainable offered by CARVART office front solutions.



TURNKEY SOLUTION

CARVART's comprehensive services include every component needed to design and manage a full project from design development and guidance to post-installation services and support. Architects can work closely with CARVART designers to select appropriate and stunning glass products; shop drawings and full coordination services are available through the dedicated project manager; a full range of hardware and glass options are available to suit any project; post-delivery services include a wide range installation guidance and training.

glassWALLS > Slim



Specifications

glassWALLS > SLIM FRAME (SLIM-PF)

Minimal sightlines and extrusions make the glassWALLS > Slim Frame a unique solution to any office front design. With a multitude of door and opening options, configurations for dividing office spaces are essentially endless. The Slim Frame extrusion is composed of a two-piece channel and incorporates wedge vinyl that both facilitate easy installation. Benefits also include ADA compliant features and accessories, easy maintenance and a wide range of metal finishes that can complement CARVART's glass offering. The system also integrates seamlessly with CARVART's glassPOST accessories that allow designers to further customize spaces and add functionality.

VALUE-ADDED BENEFITS

- Multiple door and opening options
- Wide range of CARVART pulls available
- Two-piece channel makes installation easy
- Multiple metal finishes available
- ADA compliant hardware and configurations available
- Power and data integration available with snap-on cable management
- System durability and long-term integrity
- Turkey project services

FACILITY DESIGN APPLICATIONS

Office separation, open space configurations, door and opening division, space division between offices, conference rooms or flex-space.

CONFIGURATIONS

Straight runs, endless fixed panel, custom angles and configurations, various heights, fronts only, 2-4 sided office arrangements.

FUNCTION

Fixed panels, hinged/pivot/sliding door integration available.

GLASS TYPES

Tempered monolithic, laminated, tempered laminated.

GLASS FINISHES — Refer to Finish Chart
CARVART laminated transparent glass design options available: 01 Core, 02 Color, 03 Pattern, 04 Metallic, 05 Textile, 08 Gradient and 10 Covert.

SURFACES

Smooth glass.
Etched glass.

GLASS THICKNESS —
Refer to local code and structural requirements
Accommodates 3/8" nominal up to 1/2" nominal.

HARDWARE DIMENSIONS
Aluminum extrusion height: 1-3/4"
Aluminum extrusion depth: 1-3/16"

HARDWARE MATERIALS/FINISHES —
Refer to Finish Chart
Brushed satin anodized aluminum, polished aluminum, black, white, grey, midnight, charcoal, light grey, warm grey, champagne, terra cotta, blackened aluminum.

WIDTHS — OVERALL MINIMUM/MAXIMUM RANGE (inches):
Glass Panels: Minimum 6" and maximum 48" (custom and larger sizes available upon request and depending on engineering limits).
Maximum opening lengths: Unlimited.

HEIGHTS — OVERALL MINIMUM/MAXIMUM RANGE (inches):
Minimum 9" height; maximum 108" height above finished floors (custom and larger sizes available upon request and depending on engineering limits).

MOUNTING FASTENERS
Final anchoring decision is client-directed or based on client structural consultant.
Mounting fasteners and anchors to be supplied by others.
CARVART advisory and coordination available.

WEIGHT & STRUCTURAL LOADS —
Consult local engineer for structural codes and requirements
Sliding door track capacities rated for 200lbs.
Overall weights available upon request for client structural calculations.
Refer to CARVART for technical consultation.

ADD-ON DESIGN OPTIONS —
Per specification and upcharges apply
Pulls, swing and sliding doors, glassPOST integration.


CUSTOMIZATION
Custom dimensions per opening.

INSTALLATION
Two-piece extrusion and adjustable levelers facilitate easy installation and glass loading. Requires trained and competent glazing or carpenter industry professionals. Installation instructions, assistance and training available at time of order. All hardware components, including doors, will be delivered knocked down and require assembly by a glazing industry professional. Certain glass and hardware finishes are available as pre-assembled products as called out in the glass and hardware finishes pages. Consult a CARVART agent for information on available pre-assembled components.


HARDWARE WARRANTY —
5-year limited warranty.

For more info, contact CARVART Sales Advisory Team at quotes@carvart.com or call us at 212 675 0030.

Slim > Frameless Sliding Door





TYPICAL FRONT ELEVATION




TYPICAL HORIZONTAL SECTION


Slim > Frameless Sliding Door



Slim > Framed Sliding Door





TYPICAL FRONT ELEVATION




TYPICAL HORIZONTAL SECTION


Slim > Framed Sliding Door



Slim > Framed Hinge Door





TYPICAL FRONT ELEVATION




TYPICAL HORIZONTAL SECTION


Slim > Framed Hinge Door



Slim > Frameless Pivot Door (with Header)





TYPICAL FRONT ELEVATION




TYPICAL HORIZONTAL SECTION


Slim > Frameless Pivot Door (with Header)



Slim > Frameless Pivot Door (No Header)





TYPICAL FRONT ELEVATION




TYPICAL HORIZONTAL SECTION


Slim > Frameless Pivot Door (No Header)



Slim > Framed Pivot Door





TYPICAL FRONT ELEVATION



TYPICAL HORIZONTAL SECTION


Slim > Framed Pivot Door




Options: Slim > Pulls and Levers

- Ladder pulls available in:
- Multiple finishes (see chart)
 - ADA configurations
 - Locking/non-locking

LADDER PULLS




BACK-TO-BACK
NON-LOCKING



BACK-TO-BACK
LOCKING




24"
NON-LOCKING




36"
NON-LOCKING



48"
LOCKING OR
NON-LOCKING




72"
LOCKING OR
NON-LOCKING




72"
CEILING
CONFIGURATION


CLOSERS




NON-LOCKING/
FIXED LEVER



FIXED/DUMMY LEVER




Available
lengths:
24"
36"
48"
72"



EURO LOCK


- Key/Thumb
- Key/Key
- Indicator/Thumb
- No Lock




US LOCK/INTERCHANGEABLE

- Key/Thumb
- Key/Key
- Indicator/Thumb
- No Lock


Options: Slim > Door Connections




HORIZONTAL DETAIL FRAMELESS SWING



FRAMED HINGED JAMB DETAIL




FRAMED PIVOT JAMB DETAIL




HORIZONTAL DETAIL FRAMED SLIDING W/INTEGRATED BRUSH


Options: Slim > Panel-to-Panel Connections




BUTT JOINT




VERTICAL MULLION




VERTICAL MULLION SHELF SINGLE SIDE



VERTICAL MULLION SHELF DOUBLE SIDE



WIRE MANAGEMENT CHASE



- Finish extrusion to match CARVART Slim or Simple extrusions
- Economic design alternative to cap the end of a partition between spaces and conceal cables/wires

PARTITION CAP ALTERNATIVE

- Typical glass return features a glass side lite that gives more light/transparency to adjacent spaces


GLASS RETURN @ PARTITION

Accessories: glassPOST

Integrated mounting mullion to add accessories to Slim, Simple and Simple Double office fronts.


glassPOST >
Double Mullion

glassPOST >
Single Mullion



glassPOST INTEGRATION

glassPOST accessories can be seamlessly integrated with Slim, Simple and Simple Double office front partitions. By adding a mounting-mullion between the panes of glass, shelves, work surfaces, cabinets and drawers can be hung in front of the glass and integrated into any room design.



glassPOST ACCESSORIES

- Available accessories include:
- Standardized steel shelves at 35-7/16" wide
 - Brackets for customer-supplied work surface
 - Standardized drawers at 35-7/16" wide
 - Standardized cabinets at 35-7/16" wide



glassWALLS > Simple



Specifications

glassWALLS > SIMPLE FRAME (SIMP-PF)

Innovative extrusions and easy installation make the glassWALLS > Simple Frame a unique solution to any office front design. With a multitude of door and opening options, configurations for dividing office spaces are essentially endless. The Simple Frame extrusion is composed of a two-piece channel and incorporates wedge vinyl that both facilitate easy installation. Benefits also include ADA compliant features and accessories, easy maintenance and a wide range of metal finishes that can complement CARVART's glass offering. The system also integrates seamlessly with CARVART's glassPOST accessories that allow designers to further customize spaces and add functionality.

VALUE-ADDED BENEFITS

- Multiple door and opening options
- Wide range of CARVART pulls available
- Two-piece channel makes installation easy
- Multiple metal finishes available
- ADA compliant hardware and configurations available
- Power and data integration available with snap-on cable management
- System durability and long-term integrity
- Turkey project services

FACILITY DESIGN APPLICATIONS

Office separation, open space configurations, door and opening division, space division between offices, conference rooms or flex-space.

CONFIGURATIONS

Straight runs, endless fixed panel, custom angles and configurations, various heights, fronts only, 2-4 sided office arrangements.

FUNCTION

Fixed panels, hinged/pivot/sliding door integration available.

GLASS TYPES

Tempered monolithic, laminated, tempered laminated.

GLASS FINISHES — Refer to Finish Chart
CARVART laminated transparent glass design options available: 01 Core, 02 Color, 03 Pattern, 04 Metallic, 05 Textile, 08 Gradient and 10 Covert.

SURFACES

Smooth glass.
Etched glass.

GLASS THICKNESS —

Refer to local code and structural requirements
Accommodates 3/8" nominal up to 1/2" nominal.

HARDWARE DIMENSIONS

Aluminum extrusion height: 1-3/4"
Aluminum extrusion depth: 1-13/16"

HARDWARE MATERIALS/FINISHES —

Refer to Finish Chart
Brushed satin anodized aluminum, polished aluminum, black, white, grey, midnight, charcoal, light grey, warm grey, champagne, terra cotta, blackened aluminum.

WIDTHS — OVERALL MINIMUM/ MAXIMUM RANGE (inches):

Glass Panels: Minimum 6" and maximum 48" (custom and larger sizes available upon request and depending on engineering limits).
Maximum opening lengths: Unlimited.

HEIGHTS — OVERALL MINIMUM/ MAXIMUM RANGE (inches):
Minimum 9" height; maximum 108" height above finished floors (custom and larger sizes available upon request and depending on engineering limits).

MOUNTING FASTENERS

Final anchoring decision is client-directed or based on client structural consultant.
Mounting fasteners and anchors to be supplied by others.
CARVART advisory and coordination available.

WEIGHT & STRUCTURAL LOADS —
Consult local engineer for structural codes and requirements
Sliding door track capacities rated for 200lbs.
Overall weights available upon request for client structural calculations.
Refer to CARVART for technical consultation.

ADD-ON DESIGN OPTIONS —
Per specification and upcharges apply
Pulls, swing and sliding doors, glassPOST integration.


CUSTOMIZATION
Custom dimensions per opening.

INSTALLATION
Two-piece extrusion and adjustable levelers facilitate easy installation and glass loading. Requires trained and competent glazing or carpenter industry professionals. Installation instructions, assistance and training available at time of order. All hardware components, including doors, will be delivered knocked down and require assembly by a glazing industry professional. Certain glass and hardware finishes are available as pre-assembled products as called out in the glass and hardware finishes pages. Consult a CARVART agent for information on available pre-assembled components.


HARDWARE WARRANTY —
5-year limited warranty.

For more info, contact CARVART Sales Advisory Team at quotes@carvart.com or call us at 212 675 0030.

Simple > Framed Hinge Door





TYPICAL FRONT ELEVATION




TYPICAL HORIZONTAL SECTION


Simple > Framed Hinge Door



Simple > Frameless Pivot Door (with Continuous Header)





TYPICAL FRONT ELEVATION




TYPICAL HORIZONTAL SECTION


Simple > Frameless Pivot Door (with Continuous Header)



Simple > Frameless Pivot Door





TYPICAL FRONT ELEVATION




TYPICAL HORIZONTAL SECTION


Simple > Frameless Pivot Door



Simple > Framed Pivot Door





TYPICAL FRONT ELEVATION




TYPICAL HORIZONTAL SECTION


Simple > Framed Pivot Door



Simple > Framed Sliding Door





TYPICAL FRONT ELEVATION




TYPICAL HORIZONTAL SECTION


Simple > Framed Sliding Door



Simple > Frameless Sliding Door





TYPICAL FRONT ELEVATION



TYPICAL HORIZONTAL SECTION



Simple > Frameless Sliding Door



Options: Simple > Pulls and Levers

- Ladder pulls available in:
- Multiple finishes (see chart)
 - ADA configurations
 - Locking/non-locking


LADDER PULLS




CLOSERS




Options: Simple > Door Connections




HORIZONTAL DETAIL FRAMELESS SWING



FRAMED HINGED JAMB DETAIL




FRAMED PIVOT JAMB DETAIL




HORIZONTAL DETAIL FRAMED SLIDING W/INTEGRATED BRUSH


Options: Simple > Panel-to-Panel Connections




BUTT JOINT




VERTICAL MULLION




VERTICAL MULLION SHELF SINGLE SIDE



VERTICAL MULLION SHELF DOUBLE SIDE



WIRE MANAGEMENT CHASE



- Finish extrusion to match CARVART Slim or Simple extrusions
- Economic design alternative to cap the end of a partition between spaces and conceal cables/wires

PARTITION CAP ALTERNATIVE

- Typical glass return features a glass side lite that gives more light/transparency to adjacent spaces


GLASS RETURN @ PARTITION

Accessories: glassPOST

Integrated mounting mullion to add accessories to Slim, Simple and Simple Double office fronts.


glassPOST >
Double Mullion

glassPOST >
Single Mullion



glassPOST INTEGRATION

glassPOST accessories can be seamlessly integrated with Slim, Simple and Simple Double office front partitions. By adding a mounting-mullion between the panes of glass, shelves, work surfaces, cabinets and drawers can be hung in front of the glass and integrated into any room design.



glassPOST ACCESSORIES

- Available accessories include:
- Standardized steel shelves at 35-7/16" wide
 - Brackets for customer-supplied work surface
 - Standardized drawers at 35-7/16" wide
 - Standardized cabinets at 35-7/16" wide



glassWALLS > Simple Double



Specifications

glassWALLS > SIMPLE DOUBLE (SIMP-2X)

When an acoustically advanced system is desired, glassWALLS > Simple Double Frame is a unique solution to any office front design. With a multitude of door and opening options, configurations for dividing office spaces are essentially endless. The Simple Double Frame extrusion is composed of a two-piece channel and incorporates wedge vinyl that both facilitate easy installation. Benefits also include ADA compliant features and accessories, easy maintenance and a wide range of metal finishes that can complement CARVART's glass offering. The system integrates seamlessly with CARVART's glassPOST accessories and is easy to install as it incorporates the same two-piece channel that Slim and Simple have, drastically reducing labor cost and enable easy adjustment once the glass is installed.

FACILITY DESIGN APPLICATIONS

Office separation, open space configurations, door and opening division, space division between offices, conference rooms or flex-space.

CONFIGURATIONS

Straight runs, endless fixed panel, custom angles and configurations, various heights, fronts only, 2-4 sided office arrangements.

FUNCTION

Fixed panels, hinged door integration.

GLASS TYPES

Tempered monolithic, laminated, tempered laminated.

GLASS FINISHES — Refer to Finish Chart
CARVART laminated transparent glass design options available: 01 Core, 02 Color, 03 Pattern, 04 Metallic, 05 Textile, 08 Gradient and 10 Covert.

SURFACES

Smooth glass.
Etched glass.

GLASS THICKNESS —

Refer to local code and structural requirements
Accommodates 3/8" nominal up to 1/2" nominal.

HARDWARE DIMENSIONS

Aluminum extrusion height: 1-3/4"
Aluminum extrusion depth: 3-3/4"

HARDWARE MATERIALS/FINISHES —

Refer to Finish Chart
Brushed satin anodized aluminum, polished aluminum, black, white, grey, midnight, charcoal, light grey, warm grey, champagne, terra cotta, blackened aluminum.

WIDTHS — OVERALL MINIMUM/ MAXIMUM RANGE (inches):

Glass Panels: Minimum 6" and maximum 48" (custom and larger sizes available upon request and depending on engineering limits).
Maximum opening lengths: Unlimited.

VALUE-ADDED BENEFITS

- Multiple door and opening options
- Wide range of CARVART pulls available
- Two-piece channel makes installation easy
- Multiple metal finishes available
- ADA compliant hardware and configurations available
- Power and data integration available with snap-on cable management
- System durability and long-term integrity
- Turkey project services

HEIGHTS — OVERALL MINIMUM/ MAXIMUM RANGE (inches):
Minimum 9" height; maximum 108" height above finished floors (custom and larger sizes available upon request and depending on engineering limits).

MOUNTING FASTENERS

Final anchoring decision is client-directed or based on client structural consultant.
Mounting fasteners and anchors to be supplied by others.
CARVART advisory and coordination available.

WEIGHT & STRUCTURAL LOADS —
Consult local engineer for structural codes and requirements
Overall weights available upon request for client structural calculations.
Refer to CARVART for technical consultation.

ADD-ON DESIGN OPTIONS —
Per specification and upcharges apply
glassPOST integration, CARVART laminated glass with acoustic interlayer.


CUSTOMIZATION
Custom dimensions per opening.

INSTALLATION
Two-piece extrusion and adjustable levelers facilitate easy installation and glass loading. Requires trained and competent glazing or carpenter industry professionals. Installation instructions, assistance and training available at time of order. All hardware components, including doors, will be delivered knocked down and require assembly by a glazing industry professional. Certain glass and hardware finishes are available as pre-assembled products as called out in the glass and hardware finishes pages. Consult a CARVART agent for information on available pre-assembled components.



HARDWARE WARRANTY —
5-year limited warranty.

For more info, contact CARVART Sales Advisory Team at quotes@carvart.com or call us at 212 675 0030.

Simple Double > Framed Door




TYPICAL FRONT ELEVATION





DOOR TO WALL

TYPICAL HORIZONTAL SECTION



TYPICAL VERTICAL SECTION

Simple Double > Framed Door




Accessories: glassPOST

Integrated mounting mullion to add accessories to Slim, Simple and Simple Double office fronts.


glassPOST >
Double Mullion

glassPOST >
Single Mullion



glassPOST INTEGRATION

glassPOST accessories can be seamlessly integrated with Slim, Simple and Simple Double office front partitions. By adding a mounting-mullion between the panes of glass, shelves, work surfaces, cabinets and drawers can be hung in front of the glass and integrated into any room design.



glassPOST ACCESSORIES

- Available accessories include:
- Standardized steel shelves at 35-7/16" wide
 - Brackets for customer-supplied work surface
 - Standardized drawers at 35-7/16" wide
 - Standardized cabinets at 35-7/16" wide



glassWALLS > Warehouse



Specifications

glassWALLS > SLIM WAREHOUSE (SLIM-PF)
glassWALLS > SIMPLE WAREHOUSE (SIMP-PF)

With a more industrial look, the glassWALLS > Warehouse offers a design alternative to both Simple and Slim systems. Benefits include ADA compliant features and accessories, easy maintenance and a wide range of metal finishes that can complement CARVART's glass offering. This option also integrates seamlessly with CARVART's glassPOST accessories, allowing designers to further customize spaces and add functionality.

VALUE-ADDED BENEFITS

- Multiple door and opening options
- Wide range of CARVART pulls available
- Two-piece channel makes installation easy
- Multiple metal finishes available
- ADA compliant hardware and configurations available
- Power and data integration available with snap-on cable management
- System durability and long-term integrity
- Turkey project services

FACILITY DESIGN APPLICATIONS

Office separation, open space configurations, door and opening division, space division between offices, conference rooms or flex-space.

CONFIGURATIONS

Straight runs, endless fixed panel, custom angles and configurations, various heights, fronts only, 2-4 sided office arrangements.

FUNCTION

Fixed panels, hinged/pivot/sliding door integration available.

GLASS TYPES

Tempered monolithic, laminated, tempered laminated.

GLASS FINISHES — Refer to Finish Chart
CARVART laminated transparent glass design options available: 01 Core, 02 Color, 03 Pattern, 04 Metallic, 05 Textile, 08 Gradient and 10 Covert.

SURFACES

Smooth glass.
Etched glass.

GLASS THICKNESS —

Refer to local code and structural requirements
Accommodates 3/8" nominal up to 1/2" nominal.

HARDWARE DIMENSIONS

Aluminum extrusion height: 1-3/4"
Slim: Aluminum extrusion depth: 1-3/16"
Simple: Aluminum extrusion depth: 1-13/16"

HARDWARE MATERIALS/FINISHES —

Refer to Finish Chart
Brushed satin anodized aluminum, polished aluminum, black, white, grey, midnight, charcoal, light grey, warm grey, champagne, terra cotta, blackened aluminum.

WIDTHS — OVERALL MINIMUM/ MAXIMUM RANGE (inches):

Glass Panels: Minimum 6" and maximum 48" (custom and larger sizes available upon request and depending on engineering limits).
Maximum opening lengths: Unlimited.

HEIGHTS — OVERALL MINIMUM/ MAXIMUM RANGE (inches):

Minimum 9" height; maximum 108" height above finished floors (custom and larger sizes available upon request and depending on engineering limits).

MOUNTING FASTENERS

Final anchoring decision is client-directed or based on client structural consultant.
Mounting fasteners and anchors to be supplied by others.
CARVART advisory and coordination available.

WEIGHT & STRUCTURAL LOADS —

Consult local engineer for structural codes and requirements
Sliding door track capacities rated for 200 lbs.
Overall weights available upon request for client structural calculations.
Refer to CARVART for technical consultation.

ADD-ON DESIGN OPTIONS —

Per specification and upcharges apply
Pulls, swing and sliding doors, glassPOST integration.

CUSTOMIZATION

Custom dimensions per opening.

INSTALLATION



Two-piece extrusion and adjustable levelers facilitate easy installation and glass loading. Requires trained and competent glazing or carpenter industry professionals. Installation instructions, assistance and training available at time of order. All hardware components, including doors, will be delivered knocked down and require assembly by a glazing industry professional. Certain glass and hardware finishes are available as pre-assembled products as called out in the glass and hardware finishes pages. Consult a CARVART agent for information on available pre-assembled components.

HARDWARE WARRANTY —


5-year limited warranty.

For more info, contact CARVART Sales Advisory Team at quotes@carvart.com or call us at 212 675 0030.


Warehouse



TRUE DIVIDING VERTICAL MULLION — SLIM




TRUE DIVIDING VERTICAL MULLION — SIMPLE



SURFACE-APPLIED HORIZONTAL MULLION


Aesthetic options




SLIDING DOORS

SWING DOORS

Aesthetic options: Two alternatives for mullion frequency



FOUR-DIVISION HORIZONTAL MULLIONS (W/ HINGED DOORS)



THREE-DIVISION HORIZONTAL MULLIONS (W/ SLIDING DOORS)








COREglass



























COLORglass

Translucent
Whites
Laminated

COLORglass

Transparent
Laminated




*Available as pre-
assembled door
products
(excluding frameless)

**PATTERN
glass****Etch****Texture****METALLIC
glass****Gauze****Screen****Mesh****TEXTILE
glass****Linen****Stria****Luxe****GRADIENT
glass****COVERT
glass****HARDWARE
Powder
coat**

** Standard finish

Views

Shown in order
of lowest
to highest
translucency



CARVART®