


Fabricate

POWERBOND® + MODULAR

Beautiful
design.
Practical
solution.

JHANE BARNES

 **Tarkett**




Pattern incognito.

Designer Jhane Barnes always solves practical design challenges with creative ingenuity. Fabricate was developed to effectively hide soil and coordinate easily with other flooring selections in the space. Using an innovative design technique she developed and Tarkett patented, Jhane flipped and rotated a series of tiny repeating modules, creating an almost-solid visual. Each six-foot repeat includes more than a thousand rotating motifs, making the overall pattern impossible to find.

FABRICATE 11498 (Camelback 36209)
24" x 24" Modular
Vertical ashlar installation

SOUNDBLOCK 11472 (Camelback 68203)
24" x 24" Modular
Vertical ashlar installation

JHANE BARNES



The Fabricate pattern and color palette have been designed to coordinate easily with other products from Jhane Barnes, especially the Blockade and Soundblock series, which uses the same color names for easy pairings.

FABRICATE 11498 (Base Grey 36201, Waterscape 36215, Zealous 36211, Tigress 36214, Ice Cave 36202)
24" x 24" Modular
Vertical ashlar installation

JHANEBARNES



FABRICATE 11498 (Beachrock 36213)
24" x 24" Modular
Vertical ashlar installation

SOUNDBLOCK 11472 (Beachrock 68201)
24" x 24" Modular
Vertical ashlar installation

JHANE BARNES




FABRICATE 11498 (Brindled 36208)
6' Roll
Powerbond® installation

LVT PARISIAN (Gris PCPR 10070)
18" x 18" Tile
Quarter turn installation


METALEDGE 001
Finishing Accessories (179 Steel)

JHANE BARNES



FABRICATE 11498 (Twilight Blue 36218)
24" x 24" Modular
Vertical ashlar installation

BLOCKADE 11471 (Twilight Blue 54608)
24" x 24" Modular
Vertical ashlar installation



Design collaboration

Designer Jhane Barnes' 38-year fashion career saw her menswear label grace the shelves of stores like Neiman Marcus, Saks, and Nordstrom. She didn't stop there! Jhane designed textiles for Knoll for 14 years, furniture for Bernhardt for 10 years, and carpet for Tarkett, now 20 years and counting. Her innovative carpet tile and Powerbond products for Tarkett have been revolutionary. Using a blend of art and science—and her custom developed software—Jhane creates patterns from algorithms, incorporating mathematics into many of the products she designs.

Great spaces. One surface at a time.

Coordinated to work together visually across platforms, the Tarkett Solution SPECtrum™ helps you develop a flooring platform for the specific needs of every space and budget.

Our portfolio of products are designed to work together functionally and aesthetically, creating more productive workspaces that maximize return on investment. Without compromise.

Color may vary from actual swatch. To order a sample and to learn more about Tarkett Solution SPECtrum™, please visit tarkettna.com.

PRODUCTS SHOWN:

1. LVT, Collections Infinies™, Mirage PCMI (Sahara 10047)
2. LVT, iD Latitude™, Wood (Acadia Pine 5136)
3. LVT, iD Latitude™, Abstract (Greige 5103)
4. LVT, iD Latitude™, Wood (Blanched Pine 5134)
5. Soft Surface, Powerbond®/Modular, Fabricate 11498 (Camelback 36209)
6. Soft Surface, Powerbond®/Modular, Fabricate 11498 (Nighttime 36216)
7. Soft Surface, Powerbond®/Modular, Fabricate 11498 (Beachrock 36213)
8. Soft Surface, Powerbond®/Modular, Fabricate 11498 (Soapstone 36210)
9. Soft Surface, Powerbond®/Modular, Soundblock 11472 (Nighttime 68207)
10. Soft Surface, Powerbond®/Modular, Blockade 11471 (Nighttime Blue 54606)
11. Soft Surface, Powerbond®/Modular, Soundblock 11472 (Beachrock 68201)
12. Soft Surface, Powerbond®/Modular, Soundblock 11472 (Camelback 68203)

Doing Good. Together.



CONSTRUCTION OPTIONS

Through our ReStart® program, we ensure 100% of the flooring and samples returned are recycled or reused, guaranteed.

	Backing Systems	Lifetime Limited Warranty	Rollability	100% Closed-Loop Recyclable	Seams	Moisture Management	Installation	Recycled Content
POWERBOND	Powerbond® Cushion	•	Good	•	Impermeable	Impact 0 @ 10,000	Peel & Stick Direct Glue	•
	Powerbond® Medfloor®	•	Excellent	•	Impermeable	Impact 0 @ 10,000	Direct Glue	•
MODULAR	ER3®	•	Excellent	•			Peel & Stick Direct Glue	•
	ethos® Modular with Omni-coat Technology™	•	Excellent	•			TarkettTAPE™ Direct Glue	•
	Flex-Aire™ Modular Cushion	•	Good	•			TarkettTAPE™ Peel & Stick Direct Glue	•

Rollability is the ability to move (or roll) pieces of furniture such as chairs or beds on flooring. Moisture penetration by impact at seams @10psi: No penetration after 10,000 impacts Impermeable seams

	Product	Recycled Content*		NSF 140 SCS Rating	Cradle to Cradle Certified™ v3.1**	ILFI Compliant	Declare	Green Label Plus Certified
		Overall	Post-consumer					
CERTIFIED	Powerbond® Cushion	7-33%	7%	Gold				GLP9744
CERTIFIED	Powerbond® Medfloor®	7-33%	7%					GLP9744
CERTIFIED	ER3® Modular	45-66%	14%	Gold				GLP1366
CERTIFIED	ethos® Modular with Omniccoat Technology™	47-75%	28%	Platinum	Silver	•	•	GLP8320
CERTIFIED	Flex-Aire™ Modular Cushion	21-41%	4%	Gold				GLP6558
CERTIFIED	LVT	26-28%	27.5%	NSF 332				FloorScore

*Minimum recycled content certified by Scientific Certification Systems (SCS) and varies by product style.
**Cradle to Cradle Certified is a certification mark licensed by the Cradle to Cradle Products Innovation Institute.
Visit us on Ecomedes (tarkett.ecomedes.com) to find product documentations such as LEED, LBC, WELL, GreenGlobes Rating Systems and Federal Standards.

At Tarkett North America, we believe that together, we can make a positive impact on people and the planet. That’s why we’re Doing Good—Together, connecting our sustainability efforts with what our customers value and our world needs. It’s an active, living commitment to create a future where people and the planet prosper in balance. Where sustainable flooring solutions don’t just perform. They inspire.

Cradle to Cradle® certification guides our eco-design approach on the basis of five criteria: material health, product circularity, renewable energy and climate requirements, water stewardship, and social fairness. One example of Tarkett’s commitment to eco-design is our Eco-Ensure technology: a fluorine-free, PFAS-free soil protection that comes standard on every soft surface product we make. Certified Cradle to Cradle Platinum, Eco-Ensure is helping to safeguard the health of both our planet and its people.

Creating phthalate-free, low-TVOC resilient products helps us stay aligned with the Cradle to Cradle design principles of health and wellness.

Finally, Cradle to Cradle (along with circular economy principles) has helped us assess our positive and negative impacts upon the environment and people’s health.

Through this process, we have: reduced our energy use; converted factories in Ohio, Sweden and Italy to renewable energy; utilized recycled materials in our products to reduce their carbon footprint; and offset the remainder of our footprint by partnering with global projects—including reforestation of the Peruvian Amazon. Through our support of the Tambopata National Reserve and the Bahuaja-Sonene National Park, we’ve helped to protect nearly 1.5 million acres and restore 10,000 acres—an action expected to avoid over 4 million tons of carbon emissions by 2021.

We are often asked to simplify our sustainability story. The truth is that making a positive impact on our world and its citizens is not so simple. Reducing the use of fossil fuels and incorporating recycled materials into our products can pose challenges, but Tarkett is working hard to make these improvements—because we value your health, and that of our environment. In our ongoing efforts to promote sustainability, achieving carbon neutrality is just one more step toward creating a better world.



DESIGNING FOR LIFE

Developing products based on *Cradle to Cradle*® principles that contribute to people friendly spaces AND respect the planet’s natural capital.



CLOSING THE LOOP

Building a circular economy inclusive of programs and business models that encourage take back, reuse, recycling and elimination of waste.



DRIVING COLLABORATION

Inviting others to join us in Doing Good through education, collaboration, transparency and communication.

Sustainability Attributes

POWERBOND®

Healthy Materials:
98% raw materials third-party certified;
Phthalate-Free; recycled content; PFAS-Free

Material Health Assessment by Third-Party:
Cradle-to-Cradle principles

Indoor Air Quality:
CRI Green Label Plus; CDPH 01350 v1.2;
NSF 140 Gold

Transparency Certifications by Third-Party:
C2C; Declare; product-specific EPD

Sustainable Building Programs:
Meets LEED v4.0, LEED v4.1; WELL

Responsible Business Practice:
UN Sustainability Goals; CE100; World Economic Forum; UN Global Compact; C2C principles

Responsible Product Management:
Part of our ReStart program: based on circular economy principles

Sustainable Manufacturing:
ISO 19001, ISO 14001; Closed Loop Water System; Renewable Energy

Access to Transparency Documents:
Transparency certifications and product details are located on the Tarkett website, Ecomedes.com and mindful MATERIALS

ETHOS®

Healthy Materials:
98% raw materials third-party certified;
Phthalate-Free; recycled content; PFAS-Free

Material Health Assessment by Third-Party:
C2C Silver; ILFI; Declare

Indoor Air Quality:
CRI Green Label Plus; CDPH 01350 v1.2;
NSF 140 Platinum

Transparency Certifications by Third-Party:
C2C; Declare; product-specific EPD

Sustainable Building Programs:
Meets LEED v4.0, LEED v4.1; WELL

Responsible Business Practice:
UN Sustainability Goals; CE100; World Economic Forum; UN Global Compact; C2C principles

Responsible Product Management:
Part of our ReStart program: based on circular economy principles

Sustainable Manufacturing:
ISO 19001, ISO 14001; Closed Loop Water System; Renewable Energy

Access to Transparency Documents:
Transparency certifications and product details are located on the Tarkett website, Ecomedes.com and mindful MATERIALS

LVT

Healthy Materials:
No Heavy Metals; Non-Toulene Ink System,
Phthalate Free

Material Health Assessment by 3rd Party:
Cradle-to-Cradle® principles: 100% of ingredients used have been assessed by a third party, EPEA, for environmental and human health impacts

Indoor Air Quality:
Meets CDPH standard method v1.2-2017;
FloorScore® certification

Transparency Certifications by 3rd party:
FloorScore®

Sustainable Building Programs:
Contributes to LEED v4.0, LEED v4.1, WELL

Responsible Business Practice:
UN Sustainability Goals, CE100, World Economic Forum, UN Global Compact, C2C principles

Responsible Product Management:
Part of Tarkett ReStart® program

Sustainable Manufacturing:
ISO19001, ISO 14001, Closed Loop Water System

Access to Transparency Documents:
Transparency certifications and product details are located on the Tarkett website, Ecomedes and Mindful Materials.



Dynex SD®


Tarkett Solutions

Fabricate is 100% Dynex solution dyed with permanent stain resist.

All Dynex SD yarns used in Tarkett products are cationic. But what does that mean?

Regular nylon has positively charged nodes, therefore nylon fiber can be stained with negatively charged staining agents.

The polarity of nylon can be reversed through sulfonation. The negatively charged cationic nylon (through sulfonation) repels negative-charged stains, creating a permanent stain resistant product: Dynex SD. Dynex SD passes stain resistance Test Method AATCC 175.



ReStart® includes Tarkett's third-party certified reclamation and recycling program that reclaims and recycles post-consumer flooring, installation waste, samples and portfolios. To initiate ReStart, contact customer service at 800.248.2878.



Product Specifications

SOFT SURFACE

FABRICATE 114989

Coordinate Group: 16

Designer: Jhane Barnes

Platform:

Powerbond 6' Roll

Modular 24" x 24" (60.9 cm x 60.9 cm),

18" x 36" (45.72 cm x 91.4 cm),

9" x 36" (22.9 cm x 91.4 cm)

Sample Size: 24" x 24" (60.9 cm x 60.9 cm)

Construction: Stratatec® Patterned Loop

Yarn Content: Dynex SD® Nylon

Dye Method: Solution Dyed

Pattern Match: N/A

Pile Height Average: 0.110" (2.8 mm)

Powerbond Construction:

Powerbond® Cushion, Powerbond® Medfloor®

Modular Construction:

ethos Modular with Omnicoat Technology®, ER3® Modular,

Flex-Aire® Modular Cushion,

Gauge: 5/64

Colors Available: 18

Installation Options:

Vertical Ashlar 24" x 24", 18" x 36", 9" x 36"

Herringbone 18" x 36", 9" x 36"

Pivot 24" x 24", 18" x 36", 9" x 36"

LUXURY VINYL TILE

PARISIAN PCPR

Classification: ASTM F1700 Class III Type B

Designer: Tarkett

Warranty: 25-Year Limited

Tile Sizes: 18" x 18" (45.72 cm x 45.72 cm)

12" x 36" (30.8 cm x 91.4 cm)

Sample Size: 12" x 36" (30.8 cm x 91.4 cm)

Total Thickness: 0.120" (3.0 mm) (ASTM F386)

Wear Layer Thickness: 32 mil (0.80 mm) (ASTM F410)

Finish: Techtonic™ Protection

Edge Treatment: Square Edge

Emboss: Standard shown on sample

Colors: 3

Installation Method: Glue-Down

Installation Options: Vertical Ashlar 12" x 36", Quarter Turn 18" x 18"

Sustainability: Third-Party Verified Carbon Neutral

FINISHING ACCESSORIES

METALEDGE®

- Beautiful and refined transition solution designed and engineered specifically for Tarkett's product platforms—from hard to soft surface, modular to Powerbond®, or Broadloom to Woven
- MetalEdge® Trim (MET02) can also be used as a trim for ethos Modular with Omnicoat Technology®
- Durable, resilient construction provides added protection from scratches, dents and other blemishes.
- Three (3) metallic finishes blend with all colorways



6295220001

Tarkett North America

30000 Aurora Road

Solon, Ohio 44139

800.248.2878

tarkettna.com