




SOPHIA
COLLECTION





HAI

ALL OF MIRRORS




FIELD TILE




BLACK 30 x 30
POLISHED

WHITE 30 x 30
POLISHED




BLACK 18x47
POLISHED



WHITE 18x47
POLISHED

GRAPHIC 30x30
POLISHED

STRIPES 18x47
POLISHED





WATER JET

SOPHIA HAPPY

POLISHED



Petite 9-7/16"
Modest 1' 2-1/4"
Grande 1' 9-15/16"
Titan 2' 4-15/16"



SOPHIA RIGHT TRIANGLE

POLISHED



Petite 9-3/16"
Modest 1' 1-7/8"
Grande 1' 9-11/16"
Titan 2' 5-1/2"



SOPHIA TRAPEZOID

POLISHED

Petite 9-3/4"
Modest 1' 2"
Grande 1' 6-13/16"
Titan 2' 1-1/16"







NAME, TEST	EUROPEAN NORM	SOPHIA BLACK	SOPHIA WHITE / GRAPHIC / STRIPES
Size, thickness, side straightness, flatness, orthogonality	UNE-EN 14411	It accomplishes all requirements	It accomplishes all requirements
Water absorption capacity	EN ISO 10545-03	E <0,5%	E <0,5%
Flexion resistance	EN ISO 10545-04	> 35 N/mm ²	> 35 N/mm ²
Resistance to the abrasion, method PEI	EN ISO 10545-7	III	IV
Hardness degree, method MOHS	UNE 67-101-92	3	3
Thermal shock resistance	EN ISO 10545-9	Resist	Resist
Cracking resistance	EN ISO 10545-11	Resist	Resist
Frost resistance	EN ISO 10545-12	Resist	Resist
Resistance to acids	EN ISO 10545-13	GLA	GLA
Resistance to alcalis	EN ISO 10545-13	GLA	GLA
Resistance to chemical products to swimming pool water	EN ISO 10545-13	UA	UA
Stains resistance	EN ISO 10545-14	5	5
Slip resistance (Rd)	UNE-ENV 12633	Class 0	Class 0

Audrey Lane

audreylane.com