


METROFLOR® LVT

WITH **ATTRAXION**
magnetic attachment technology



**NO adhesives.
NO locking profiles.
NO JOKE.**

Time IS money. That’s what Déjà New with Attraxion™ Magnetic Attachment Technology is about. This game-changing two-part installation technology drastically reduces typical flooring replacement times and that’s just the beginning. Attraxion Magnetic Attachment Technology eliminates adhesive-related VOCs and the magnetic underlayment can dual purpose as a moisture barrier and crack suppressant membrane to minimize costs related to floor prep.

Déjà New with Attraxion Magnetic Technology.
Serious technology for serious projects.

FEATURE	BENEFIT
Attraxion Magnetic Attachment Technology	• Eliminates the need for and associated costs of expensive adhesives • Can be easily installed in a fraction of the time compared to glue-down or locking LVT • Magnetic attachment has unmatched sheer strength that holds the floor in place even under heavy commercial traffic • Eliminates the need for additional underlayment systems • Magnetic underlayment can be used when flooring is replaced, significantly reducing labor costs and time on future installations
Worry-Free Installation System	• Eliminates the introduction into the space of VOC's from adhesives • Computers and other electronic devices will not be affected by Attraxion Magnetic Attachment Technology • FloorScore® Certified, thereby promoting good indoor air quality
Moisture-Resistant Solid Vinyl Construction	• Durable, moisture-resistant, dimensionally stable LVT platform • Warm and comfortable underfoot • Resists peeling, cracking, and delamination • Won't harbor dust or allergens
FX³ Surface Protectant™ Treated with Ultra-Fresh	• The ultimate in abrasion protection • Superior stain repellency for easy clean-up • Integrated Ultra-Fresh inhibits the growth of odor and stain causing mold and mildew
Authentic Looks & Textures	• Realistic wood and stone looks complement any décor • High-resolution visuals and rich surface textures deliver the appearance of natural materials at a fraction of the cost • All the beauty of natural wood and stone with none of the drawbacks
Low Maintenance	• No waxing or surface treatments required • Sweep, dust mop, or vacuum daily • Damp mop as needed using Prevail® Neutral Cleaner by Metroflor® • Use walk-off mats at outside entrances
Application Versatility	• Recommended for Retail, Healthcare, Assisted Living, Hospitality, Multi-Family, Corporate, Educational and Residential environments • Resists water, spills, and moisture • Suitable for baths, laundry rooms, kitchens, and below-grade (basement) applications

Ultra-Fresh is a registered trademark of Thomson Research Associates, Inc.

FEEL THE LUXURY

IN-REGISTER

Aligns the embossed texture with the printed design for three-dimensional depth, texture and realism.


SAW CUT

A slightly roughed finish featuring circular milling marks for added character and rustic charm

ROUGH CONCRETE

A lightly roughened surface with subtle shadings for a highly expressive, natural look.

CONSTRUCTION FEATURES



MICRO-BEVEL EDGE™
PROFILE

MICRO-BEVEL EDGE
Slightly eased micro-bevel edges lend definition to the flooring for a rich, realistic look.



METROFLOR® LVT

WITH **ATTRAXION**

Color: Oxidized
SKU: DN821828ATX
Size: 7" x 48" (177.8 mm x 1219.2 mm)
Gauge: 2.5 mm (0.098")
Wear Layer: 20 mil
Finish: FX³ Surface Protectant™ w/Ultra-Fresh
Attached Underlayment: N/A

DÉJÀ NEW

Coastal Oak

Installation: Glue Down
Embossing: Saw Cut
Edge Detail: Micro-Bevel Edge
Pieces/Carton: 16 planks
Sq. Ft./Piece: 2.33 (0.216 m²)
Sq. Ft./Carton: 37.3 (3.47 m²)
Limited Warranty: Lifetime Residential / 15 Year Commercial



Coastal Oak - DN821828ATX - Oxidized



Coastal Oak - DN821823ATX - Worn Beige



Coastal Oak - DN821826ATX - Greyed





METROFLOR® LVT


WITH **ATTRAXION**

Color: Waxed Greige
SKU: DN1445117ATX
Size: 9" x 60" (228.6 mm x 1524 mm)
Gauge: 2.5 mm (0.098")
Wear Layer: 20 mil
Finish: FX³ Surface Protectant™ w/Ultra-Fresh
Attached Underlayment: N/A

DÉJÀ NEW

San Marcos Oak

Installation: Glue Down
Embossing: In-Register
Edge Detail: Micro-Bevel Edge
Pieces/Carton: 10 planks
Sq. Ft./Piece: 3.75 (0.348 m²)
Sq. Ft./Carton: 37.5 (3.48 m²)
Limited Warranty: Lifetime Residential / 15 Year Commercial



San Marcos Oak - DN1445117ATX - Waxed Grey



San Marcos Oak - DN1445101ATX - Nordic Haze



San Marcos Oak - DN1445105ATX - Pumice Washed





San Marcos Oak - DN1445108ATX - Flint Grey



San Marcos Oak - DN1445109ATX - Eggplant Grey



METROFLOR[®]

WITH

ATTRAXION

▼


LVT

DÉJÀ NEW

Smooth Concrete

Color: Zinc
SKU: DN123814ATX
Size: 24" x 24" (609.6 mm x 609.6 mm)
Gauge: 2.5 mm (0.098")
Wear Layer: 20 mil
Finish: FX³ Surface Protection™ w/ Ultra-Fresh
Attached Underlayment: N/A

Installation: Glue Down
Embossing: Rough Concrete
Edge Detail: Micro-Bevel Edge
Pieces/Cartron: 9 tiles
Sq. Ft./Piece: 4 (0.372 m²)
Sq. Ft./Cartron: 36 (3.34 m²)
Limited Warranty: Lifetime Residential / 15 Year Commercial



Smooth Concrete - DN123814ATX - Zinc



Smooth Concrete - DN123809ATX - Clay



METROFLOR® LVT

WITH **ATTRAXION**
magnetic attachment technology

OUR QUALITY STANDARDS

Metroflor delivers high style, durability and easy maintenance. It is manufactured using the latest technology and to international standards and quality assurance based on ISO 14001 and ISO 9001.



The U.S. Green Building Council® is committed to a prosperous and sustainable future for our nation through cost-efficient and energy-saving green buildings.

Made to perform with:

PREVAIL
Adhesives & Accessories by **METROFLOR**

FLOORSCORE® CERTIFIED... SO YOU CAN BREATHE EASIER!

FloorScore® is a certification program established by the Resilient Floor Covering Institute (RFCI) for hard surface flooring and flooring adhesive products that meet strict indoor air quality (IAQ) requirements. Products bearing the FloorScore® label meet the indoor air quality emissions criteria of LEED, CHPS, the Green Guide for Health Care, and are recognized by a long list of healthy building programs.



 CERTIFIED BY
SCS Global Services

MAGNEBUILD™

This product engineered and authorized for use with the
MagneBuild® installation system by MBS.

The MagneBuild® brand and logo is a trademark of
Magnetic Building Solutions LLC, 2016 All rights reserved.

Metroflor Corporation
15 Oakwood Avenue
Norwalk, CT 06850
Tel: 888-235-6672
www.metroflorusa.com