BIYORK COMMERCIAL
//Product Brochure

2023

BIYORK COMMERCIAL
Table of Contents

WELCOME TO COMMERCIAL 1

WE ARE THE CREATORS. THE INNOVATORS. 2

A FOCUS ON FUNCTIONALITY 5

THE NOUVEAU COLLECTION 7

- BESPOKE COLLECTION 9
- NOUVEAU 8 COLLECTION 10
- NOUVEAU 7 COLLECTION 12
- NOUVEAU 7 PRELUDE COLLECTION 14
- NOUVEAU 6 COLLECTION (HICKORY) 16
- NOUVEAU 6 COLLECTION (EURO OAK) 18
- N3 COLLECTION 20

THE HYDROGEN COLLECTION 21

- DID YOU KNOW: ANTIBACTERIAL FEATURE 21
- HYDROGEN 7 COLLECTION 22
- HYDROGEN 6 COLLECTION 24
- HYDROGEN 5 COLLECTION 27
- HYDROGEN PRO COLLECTION 31

THE RIPTIDE COLLECTION 33

DETAILS & SPECIFICATIONS 37

MOULDINGS & ACCESSORIES 42

WELCOME TO BIYORK COMMERCIAL

Each and every one of our collections have been curated to allow for full expression of your client's vision.
Patterns, colours, textures and durability is all customizable.

We welcome you to explore all of the options in this catalogue.



We Are The Creators.
The Innovators.







SOURCING — R & D — DESIGN — PRODUCTION — PACKAGING — LOGISTICS

Biyork has been in the business of being a manufacturer of SPC, WPC, LVT, Wood, Commercial Sheet, and Laminate for 25 years. We currently own 8 plants in China, 1 plant in Vietnam, and 1 plant in Cambodia. We have a large foothold in Canada, with reps throughout the provinces, and head office in Ontario.



WE ARE BIYORK.



BIYORK HQ | MARKHAM, CANADA

To experience our latest innovations firsthand, please visit our showroom in Markham, Ontario. Although we are not open to the public, we warmly welcome the Design Community, and encourage you to connect with a rep to help educate you on the options available.

5

A FOCUS ON FUNCTIONALITY.

Great design goes beyond colours and patterns. Our focus on design extends towards functionality and safety such as our AntiBacterial Coating and FloorScore Certification.




NOUVEAU 7 BESPOKE | BREEZY BOARDWALK

BIYORK COMMERCIAL


THE NOUVEAU COLLECTION




NOUVEAU 7 BESPOKE HERRINGBONE | NORTHERN VERANDA




FOREST GROTTO



ROOFTOP LOFT




BREEZY BOARDWALK




COTTAGE PLANK



LAKE PROMENADE



HIDDEN CABIN



NORTHERN VERANDA



BARCELONA NOON

NOUVEAU BESPOKE

PLANK

Luxurious European Oak Species

7-1/2"x 3/4" x Random Length

4.0mm Veneer

Beautiful Wirebrushed Finish

Tongue & Groove System

30-year Residential Warranty

Floorscore Certified

Accessories Available

HERRINGBONE

Herringbone Designed Pattern

Luxurious European Oak Species

5" Wide x 3/4" X 30" Long

4.0mm Veneer

Beautiful Wirebrushed Finish

Tongue & Groove System


On, Above, or Below Grade Floor


30 Year Residential Warranty

Floorscore Certified


Accessories Available

COTTAGE PLANK







NORTHERN VERANDA




HIDDEN CABIN




LAKE PROMENADE




ROOFTOP LOFT



BREEZY BOARDWALK



FOREST GROTTO



BARCELONA NOON



SOMBRERO



TRIANGULUM




COMET




MESSIER




CENTAURUS




CIGAR



BARELY BEIGE



BODE



SALTED BISCOTTI



NOUVEAU

Engineered Hardwood 8-1/2"x 3/4"x Random Length Up To 86"
2mm European Oak Veneer
Wirebrushed Finish
Tongue & Groove System
On, Above or Below Grade Floor
30-year Residential Warranty
Compatible with Radiant Heat System
Indoor Air Quality Certified: FloorScore
Accessories available

NOUVEAU 8 | MESSIER

NOUVEAU 7 | ESCARPMENT





NOUVEAU 7

Engineered Hardwood Flooring

Euro Oak & Hickory Species

7-1/2”x 3/4"x Random Length Up To 75.6”


2mm Veneer

Tongue & Groove System

On, Above or Below Grade Floor

30-year Residential Warranty

Indoor Air Quality Certified: FloorScore



HICKORY - DISTANT PRARIE

HICKORY - SUMMER SALOON

HICKORY - EVENING BARNYARD

HICKORY - DERBY

HICKORY - HAVANA COFFEE

EURO OAK - TRIBECA

EURO OAK - ESCARPMENT

EURO OAK - PLATEAU

EURO OAK - FRENCH TRUFFLE

EURO OAK - TAPESTRY

NOUVEAU 7
PRELUDE

NOUVEAU 7
PRELUDE


Engineered Hardwood Flooring
Euro Oak Species
7-1/2"x1/2"x up to 76”
2mm Veneer
Beautiful Wirebrushed Finish
Tongue & groove system
On, Above or Below Grade Floor
30-year Residential Warranty
Indoor Air Quality Certified: FloorScore




BLACKSMITH FORGE




GRACEFUL EMBER



VELVET BREEZE



TORTUGA



SNOW WILLOW




SANDY DREAM



ROASTED CHESTNUT



IVORY WISP



HEAVEN’S SAGE



GOLDEN WHEAT




NOUVEAU 6 | HICKORY SPECS

Engineered Hardwood Flooring
6-1/2"x3/4"x random length up to 6ft
1.2mm Hickory Veneer
Beautiful handscraped finish
Tongue & Groove System
On, Above or Below Grade Floor
30-year Residential Warranty
Indoor Air Quality Certified: FloorScore
Accessories available

NOUVEAU 6 | HICKORY | GREYSTONE




BAYWOOD



EURO GREY


GREYSTONE


NATURAL


SILVER FOX


COFFEE


SUMMER PEACH

NOUVEAU 6 | EURO OAK | BREATH OF WINTER



NOUVEAU 6 | EURO OAK SPECS

Engineered Hardwood Flooring
6-1/2"x3/4"x Random Length up to 6ft
1.2mm European Oak Veneer
Beautiful Wirebrush Finish
Tongue & Groove System
On, Above or Below Grade Floor
Compatible with Radiant Heat System
30-year Residential Warranty
Indoor Air Quality Certified: FloorScore
Accessories available

NOUVEAU 6 EUROPEAN OAK



VALENCIA



STOCKHOLM



SOLITUDE



SKAGEN



SILVER LACE



MORNING OATS



MELLOW RHAPSODY



FRANKFURT



DESERT ARK



CATHEDRAL RUINS



BREATH OF WINTER



BIRMINGHAM



ALPINE CHALET



LAGUNA COASTLINE



CERVINO

OAK

NOUVEAU 6 WALNUT & HICKORY



WALNUT NATURAL



BAYWOOD



SUMMER PEACH



SILVER FOX



HICKORY NATURAL



GREYSTONE



EURO GREY



COFFEE

WALNUT
HICKORY

NOUVEAU 3

Introducing our professional series
Nouveau 3 Engineered Floor.

The Specifications.

- Red Oak
- 3 1/4" Wide x 3/4" Thick x RL
- Wirebrushed Finish
- 23.66 sqft per Carton
- Micro Bevel
- 30 Year Residential Warranty
- FloorScore Certified





Red Oak | Silent Storm



Red Oak | Barn Owl



Red Oak | Night Shadow



Red Oak | Moon Dust



Red Oak | Natural

BUILDER SPECIFIC

THE HYDROGEN COLLECTION

DID YOU KNOW?

BIYORK is applying a specialized layer of protection on its product line with a 99.9% bacteria preventative.

Our AntiBacterial coating is an additive layer that contains Traces of silver and antimicrobial substances that prevent the Further growth of the three major bacterias. This additional layer of coating will remain active at all times and is expected to last the lifetime of the floor product.

Our goal is bringing our floors another step closer to a safer environment.



EUCALYPTUS GLOBULUS

At the core of our Nouveau Engineered Floors, BIYORK uses Eucalyptus wood from the Eucalyptus tree, which can be harvested in as few as 3-5 years, making them a rapidly renewable resource.

Some eucalyptus species can grow at 12 feet per year and can achieve a towering height of 300 feet!

7 HYDROGEN



Winter In Zurich



Opal Horizon



La Luna



Kashmir

Luxury Vinyl Planks
60”x 9” x 7.0mm IXPE
0.5mm/20mil wear layer
Antibacterial coating
Approved for water based radiant heat system (temp ≤ 50 degrees)
Infused IXPE underlayment
I4F/Click Floating
35 years residential warranty
10 years commercial warranty
Indoor Air Quality Certified: FloorScore
Accessories available



Daliwood



Early Dawn



Me Siento



Dockside

LA LUNA

ME SIENTO

WINTER IN ZURICH



HYDROGEN













THE TILE

Luxury Vinyl Tile
12" x 24" x 6.0mm
20mil wear layer
0.5mm wear layer
Infused IXPE underlayment
Unilin Uniclic System for Ease of Installation
Compatible with radiant heat system
30 years residential warranty
10 years commercial warranty
Indoor Air Quality Certified: FloorScore
Accessories available



HYDROGEN 6 TILE | MARBLE


PLAYFUL OTTER



CHOP


NUDIE


DUSTY


ALMOND PASTE


MIDDAY SUNRISE


ROCK CLIFFS


OUTBACK


CLAY


LILY CANVAS



THE PLANK

Luxury Vinyl Tile
7"x48", or 7"x 60" (dependant on color) 6.0mm Thick
20 mil wear layer
Stability with temperature swings of -30°C to +50°C
Unilin Unipush system for ease of installation
Compatible with radiant heat system
30 years residential warranty
10 years commercial warranty
Indoor Air Quality Certified: FloorScore
Accessories available


HYDROGEN 6 PLANK | ROCK CLIFFS

ZEN ROG HYDRO

Luxury Vinyl Plank
7" x 48" x 5mm
0.3mm wear layer (12mil)
Stability with temperature swings of -30°C to +50°C
BIYORK UnderTone underlayment
I4F Click system for ease of installation
On, Above or Below Grade Floor
Compatible with radiant heat system
25-year residential wear warranty
10-year light commercial wear warranty
Indoor Air Quality Certified: FloorScore
Accessories available


HYDROGEN 5 | GOLD COAST

CASHMERE




EVEREST



GOLD COAST




LIBERTY



NICKEL



OVERCAST





Silk Palace



Laguna Coastline

HYDROGEN PRO

PRO

Now offering all you essentially need for Design & Function in our HydroGen Pro Floor.


Available in 2mm or 3mm as well as 6 beautiful trendy colours inspired from our best-selling HydroGen 5 series; the Pro series floor has you covered for your pro application needs.



NICKEL



OVERCAST



OLIVE



GOLD COAST



EVEREST



CASHMERE

RIPTIDE

Antibacterial Laminate Flooring

7.72″x 47.87″x 12mm

Overall EIR intensifies the texture, depth, and appearance of the floor

Painted Bevel Edge

AC4 Surface For High Traffic Durability

Valinge 5G Click System

30 Year Residential Warranty

5 Year Light Commercial Warranty

FloorScore Certified

Accessories available

RIPTIDE



WHIRLPOOL



TIDAL WAVE



REEF



RAIN DANCE



POINT BREAK



OFFSHORE



HURRICANE



BLACK PEARL



HYDROGEN 5 | CASHMERE

PORSCHE | TORONTO



HYDROGEN 6 | PORCELAIN

DETAILS & SPECIFICATIONS

YOUR SPECIFICATIONS. OUR INNOVATIONS.

CUSTOMIZABLE SPC PROGRAM


THICKNESS OPTIONS

Standard | Ranging from 3.2mm - 6mm
Dryback | 2.0mm, 3.0mm, and 5.0mm

WIDTH OPTIONS

• 6 INCH OPTION • 7 INCH OPTION • 9 INCH OPTION

LENGTH OPTIONS



OUTER SHELL LAYER

6 MIL* • 8 MIL • 12 MIL • 20 MIL • 22 MIL • 28 MIL

* DRY BACK ONLY

EDGE

SQUARE EDGE
MICRO BEVEL
PAINTED BEVEL*

We provide various bevel options for a seamless install and transition between your floors

*3.2mm + 3.5mm thickness not available in Painted Bevel
DryBack not available in Painted Bevel

EMBOSSING

Overall EIR
Regular EIR
Embossed in Register *Please inquire about availability to specific colour
Stone Texture *For Tile colours only


STRUCTURE

LOOSELAY
DRYBACK
CLICK STRUCTURE

PATTERN

HERRINGBONE & CHEVRON PATTERNS AVAILABLE

Available Only In 5″ x 24″



CHEVRON HERRINGBONE

STANDARD FEATURES

SIMPLY WATERPROOF.

TRUE TOUCH TEXTURE
BEAUTY YOU CAN FEEL.

UnderTone
Step by Step Silence

1.0mm EVA • 1.0mm IXPE • 1.5mm IXPE

NOUVEAU

COLLECTION SPECIFICATIONS

NOUVEAU 7 BESPOKE COLLECTION

HERRINGBONE

Engineered Hardwood Flooring Herringbone Designed Pattern
Luxurious European Oak Species
5" Wide x 3/4" X 30" Long x 4mm Veneer
Beautiful Wirebrushed Finish
Tongue & Groove System
On, Above, or Below Grade Floor
Radiant Heat System Compatible (Except Hickory)
30 Year Residential Warranty
Indoor Air Quality Certified: FloorScore

PLANK

Engineered Hardwood Flooring
Straight Plank Pattern
Luxurious European Oak Species
7-1/2" Wide x 3/4" X RL (Up To 75.6") x 4mm Veneer
Beautiful Wirebrushed Finish
Tongue & Groove System
On, Above, or Below Grade Floor
Radiant Heat System Compatible
30 Year Residential Warranty
Indoor Air Quality Certified: FloorScore

NOUVEAU 8 COLLECTION

Engineered Hardwood Flooring
8-1/2" Width x 3/4" Thick x Up To 86" LongBoards
AntiBacterial Coated System For Safer Floors
Beautiful Wirebrushed Finish
Tongue & Groove System
On, Above or Below Grade Floor
Compatible with Radiant Heat System
30-year Residential Warranty
Indoor Air Quality Certified: FloorScore

NOUVEAU 7 COLLECTION

Engineered Hardwood Flooring
7-1/2" Width x 3/4" Thick x RL
AntiBacterial Coated System For Safer Floors
Beautiful Wirebrushed Finish
Anti-Bacterial Coating
Tongue & Groove System
On, Above or Below Grade Floor
30-year Residential Warranty
Indoor Air Quality Certified: FloorScore

NOUVEAU 7 PRELUDE

Engineered Hardwood Flooring
AntiBacterial Coated System For Safer Floors
European Oak | Beautifully Wirebrushed Finish
7-1/2in Wide x 1/2in Thick x 76in Longboards
Tongue & Groove System
On, Above, or Below Grade Floor
Radiant Heat Compatible
30 Year Residential Warranty
Indoor Air Quality Certified: FloorScore

NOUVEAU 6 COLLECTION

Engineered Hardwood Flooring
AntiBacterial Coated System For Safer Floors
Available in Euro Oak, Hickory, and Walnut
6-1/2" Width x 3/4" Thick x RL
Beautiful Wirebrushed or Handscraped Finish
On, Above or Below Grade Floor
Anti-Bacterial Coating
Compatible with Radiant Heat System (Except Hickory)
30-year Residential Warranty
Indoor Air Quality Certified: FloorScore

NOUVEAU 3 COLLECTION

European Red Oak
3 1/4" Wide x 3/4" Thick x RL Wirebrushed Finish
23.66 sqft per Carton
Micro Bevel
30 Year Residential Warranty FloorScore Certified

HYDROGEN

COLLECTION SPECIFICATIONS

HYDROGEN 7 COLLECTION

Luxury Vinyl Planks
60"x8.97"x5.5mm
0.5mm/20mil wear layer
Antibacterial coating
Approved for water based radiant heat system (temp ≤ 50 degrees)
Infused IXPE underlayment
I4F/Click Floating
35 years residential warranty
10 years commercial warranty
Indoor Air Quality Certified: FloorScore
Accessories available

HYDROGEN 6 COLLECTION

PLANK

Next Generation SPC Flooring
100% waterproof structure
AntiBacterial Coated System For Safer Floors
7” width x 60” length x 6mm overall thickness
0.5mm wear layer
80ft x 80ft Max Install Area w/o Transition
Stability with temperature swings of -30°C to +50°C
BIYORK UnderTone underlayment for maximum comfort
Unilin Uniclic system for ease of installation
On, Above or Below Grade Floor
Compatible with radiant heat system
30-year residential + 10-year light commercial wear warranty
Indoor Air Quality Certified: FloorScore

TILE

Next Generation SPC Flooring
100% waterproof structure
AntiBacterial Coated System For Safer Floors
12” width x 24” length x 6mm overall thickness
0.5mm wear layer
80ft x 80ft Max Install Area w/o Transition
Stability with temperature swings of -30°C to +50°C
BIYORK UnderTone underlayment for maximum comfort
Unilin Unipush system for ease of installation
On, Above or Below Grade Floor
Compatible with radiant heat system
30-year residential + 10-year light commercial wear warranty
Indoor Air Quality Certified: FloorScore

HYDROGEN 5 COLLECTION

Next Generation SPC Flooring
100% waterproof structure
AntiBacterial Coated System For Safer Floors
7” width x 48” length x 5mm overall thickness 0.3mm wear layer
80ft x 80ft Max Install Area w/o Transition
Stability with temperature swings of -30°C to +50°C
BIYORK UnderTone underlayment for maximum comfort
I4F Clic system for ease of installation
On, Above or Below Grade Floor
Compatible with radiant heat system
25-year residential + 10-year light commercial wear warranty
Indoor Air Quality Certified: FloorScore

ESSENTIALS
COLLECTION SPECIFICATIONS

RIPTIDE COLLECTION

Premium WaterProof Laminate
7-1/2" width x 48" length x 12mm Planks
AntiBacterial Coated System For Safer Floors
Valinge 5G Clic System
Painted Bevel Edges
AC4 Veneer Surface For High Traffic Areas
Overall Embossed
Indoor Air Quality Certified: FloorScore

HYDROGEN PRO COLLECTION

2mm Specifications

100% waterproof structure
7" width x 48" length planks x 2mm overall thickness
12mil wear layer
On, Above or Below Grade Floor
Compatible with hydronic based radiant heat systems
25-year residential + 5 -year light commercial wear warranty
Indoor Air Quality Certified: FloorScore

3mm Specifications

100% waterproof structure
7" width x 48" length planks x 3mm overall thickness
20mil wear layer
On, Above or Below Grade Floor
Compatible with hydronic based radiant heat systems
30-year residential + 10-year light commercial wear warranty
Indoor Air Quality Certified: FloorScore


NOUVEAU 8

ACCESSORIES THAT MAKE A STATEMENT.

Lay the final touches with our colour matched Mouldings, Stair Nose, and Vents.
Like every Biyork Floor, Our accessories are carefully Designed and Tested for easy install and a lifetime statement for your home.

Euro Nosing

72" length with **no** joints (Nominal)
48" length with joints (Nominal)




Reducer

72" length with joints (Nominal)
48" length with joints (Nominal)



T MOLD


72" length with joints (Nominal)
48" length with joints (Nominal)




VENTS

4x10 OSD is 6 ¾" x 13"
4x12 OSD is 6 ¾" x 15"

SURFACE VENT
4.10



SURFACE VENT
4.12




NOUVEAU 7

ACCESSORIES THAT MAKE A STATEMENT.

Lay the final touches with our colour matched Mauldings, Stair Nose, and Vents.
Like every Biyork Floor, Our accessories are carefully Designed and Tested for easy install and a lifetime statement for your home.

Euro Nosing

72" length with no joints (Nominal)
48" length with joints (Nominal)




Reducer

72" length with joints (Nominal)
48" length with joints (Nominal)



T MOLD

72" length with joints (Nominal)
48" length with joints (Nominal)



VENTS

4x10 OSD is 6 ¾" x 13"
4x12 OSD is 6 ¾" x 15"

SURFACE VENT
4.10



SURFACE VENT
4.12




NOUVEAU 7
PRELUDE

ACCESSORIES THAT MAKE A STATEMENT.

Lay the final touches with our colour matched Mouldings, Stair Nose, and Vents.
Like every Biyork Floor, Our accessories are carefully Designed and Tested for easy install and a lifetime statement for your home.


Euro Nosing
72" length with **no** joints (Nominal)
48" length with joints (Nominal)




Reducer
48" length with joints (Nominal)



T MOLD
72" length with joints (Nominal)
48" length with joints (Nominal)






VENTS
4x10 OSD is 6 ¾" x 13"
4x12 OSD is 6 ¾" x 15"

SURFACE VENT
4.10



SURFACE VENT
4.12




NOUVEAU 7
BESPOKE

ACCESSORIES THAT MAKE A STATEMENT.

Lay the final touches with our colour matched Mouldings, Stair Nose, and Vents.
Like every Biyork Floor, Our accessories are carefully Designed and Tested for easy install and a lifetime statement for your home.

Euro Nosing

72" length with **no** joints (Nominal)
48" length with joints (Nominal)




Reducer

72" length with joints (Nominal)
48" length with joints (Nominal)



T MOLD

72" length with joints (Nominal)
48" length with joints (Nominal)



VENTS

4x10 OSD is 6 ¾" x 13"
4x12 OSD is 6 ¾" x 15"

SURFACE VENT
4.10



SURFACE VENT
4.12




NOUVEAU 6

ACCESSORIES THAT MAKE A STATEMENT.

Lay the final touches with our colour matched Mouldings, Stair Nose, and Vents.
Like every Biyork Floor, Our accessories are carefully Designed and Tested for easy install and a lifetime statement for your home.

Euro Nosing

72" length with joints (Nominal)
48" length with joints (Nominal)




Reducer

72" length with joints (Nominal)
48" length with joints (Nominal)



T MOLD

72" length with joints (Nominal)
48" length with joints (Nominal)



VENTS

4x10 OSD is 6 ¾" x 13"
4x12 OSD is 6 ¾" x 15"

SURFACE VENT
4.10



SURFACE VENT
4.12




NOUVEAU 6 CLIC

ACCESSORIES THAT MAKE A STATEMENT.

Lay the final touches with our colour matched Mouldings, Stair Nose, and Vents.
Like every Biyork Floor, Our accessories are carefully Designed and Tested for easy install and a lifetime statement for your home.

Euro Nosing

72" length with joints (Nominal)
48" length with joints (Nominal)



Reducer

72" length with joints (Nominal)
48" length with joints (Nominal)



T MOLD


72" length with joints (Nominal)
48" length with joints (Nominal)




VENTS

4x10 OSD is 5" x 11"
4x12 OSD is 5" x 13"

DROP IN VENT
4.10



DROP IN VENT
4.12



BIYORK

ACCESSORIES THAT MAKE A STATEMENT.

Lay the final touches with our colour matched Mouldings, Stair Nose, and Vents.

Like every Biyork Floor, Our accessories are carefully Designed and Tested for easy install and a lifetime statement for your home.

REDUCER



REDUCER DIMENSION
94.48in x 1.77in x 15mm

EURO STAIR NOSE



STAIR NOSE DIMENSION
94.48in x 4.53in x 24mm

T-MOULDING



T-MOLD DIMENSION
94.48in x 1.77in x 12mm

RIPTIDE

BIYORK

ACCESSORIES THAT MAKE A STATEMENT.

Lay the final touches with our colour matched Mouldings, Stair Nose, and Vents.

Like every Biyork Floor, Our accessories are carefully Designed and Tested for easy install and a lifetime statement for your home.

WATERPROOF FLOOR

ACCESSORIES

REDUCER



REDUCER DIMENSION
94.49in x 1.69in x 8mm

EURO STAIR NOSE



STAIR NOSE DIMENSION
94.49in x 4in x 35mm

T-MOULDING



T-MOLD DIMENSION
94.49in x 1.77in x 7mm

FINAL TOUCHES

ACCESSORIES SPECIFICATIONS

WHISPER STEP®

ACOUSTICAL UNDERLAYMENT

Xtreme Protection™

Noise Guard

Reduces impact and airborne noise in-room and between floors. Reduces up to 10 decibels of in-room noise and an overall improvement between floors of 25%.

Block-Out' Moisture Guard

Prevents spills from getting into subfloor and allows moisture vapor to escape from beneath.

Mold & Mildew Guard

Fresh Dimension® antimicrobial works to inhibit the growth of mold, mildew, and odor-causing bacteria

Xtreme Performance™

Comfort

Makes hard-surface flooring more enjoyable.

Support

The class-leading extreme density not only resists compression but will perform for the life of the floor.

Easy Installation

Lays flat and helps mask minor subfloor irregularities; can be used above and below grade.

* Made of HIGH-DENSITY SYNTHETIC RUBBER

*For use under today's popular MLF/LVT/Rigid Core with attached back, Laminate, Sheet Vinyl, Engineered, and Solid Hardwood flooring



Flooring over Whisper Step®



Flooring over lightweight underlayment




FINAL TOUCHES

ACCESSORIES SPECIFICATIONS

UNDERTONE UNDERLAYMENT





BY INNOVATION. BY DESIGN.

[BIYORK]

HEAD OFFICE

7400 WOODBINE AVENUE EAST, UNIT 1
MARKHAM, ONTARIO CANADA
L3R1A5
1.905.955.5999

INFO@BIYORKCANADA.COM
www.BIYORKCOMMERCIAL.com