
DL
20
Infiniti
RIGID CORE LVT



Superior Design.

Infiniti Rigid Core Luxury Vinyl Flooring is a culmination of Luxury Vinyl Flooring design with enhanced aesthetics and new technologies that address vinyl flooring's installation, performance, and budget concerns. Infiniti Rigid Core Luxury Vinyl Flooring uses high-definition printing to produce a highly authentic and natural looking product

Versatile.

Infiniti Rigid Core Luxury Vinyl Flooring is a highly versatile and dependable product with a variety of style and performance options. The closer one looks; one will discover Infiniti Rigid Core Luxury Vinyl Flooring is an ideal choice for using in the following spaces: Health Care – Senior Assisted Living – Hospitality – Corporate Offices – Education – Residential Multi-Unit Housing – Retail Stores – Art Galleries & Museums

Certified Quality.

Infiniti Rigid Core Luxury Vinyl Flooring is manufactured at the highest industry standards with numerous quality inspection points by trained experts at our ISO 9001 factories. From the design and construction process, through the life-cycle of the floor, the quality of Infiniti Rigid Core Luxury Vinyl Flooring is guaranteed.

“Quick Ship”

Infiniti Rigid Core LVT products are available on a Quick Ship Program and a Custom Made to Order basis. Infiniti Quick Ship offerings feature a collection of today’s fashion forward wide plank wood looks. Infinit Quick Ship products are stocked in the US and ready to ship, and also available Custom Made to Order options too.




Infiniti Quick-Ship Designs



Snow White



Thundra White



Nutmeg



Beaver Brown



Gray Taupe



Stone Gray



Parchment



Clay Gray




Midnight Gray



Sequoia Brown



Terracotta



Dark Roast



Infiniti Quick-Ship Specifications

SPECIFICATIONS

Classification: ASTM F-3261-17 Resilient flooring in modular format with Rigid Polymeric Core
Size: 7" x 60" x 5.5 mm (0.21")
SPC Core Standard Dimensions: 4.mm
Commercial Wear Layer: 0.5mm / 20mil
Wear Layer Top-Coat Finish: Polyurethane with Ceramic Beads
Standard Backings: IXPE Foam1.5mm
Edge: Square Edge
Colors: 10 Standard Colors
Embossed: Yes
Pattern Repeat: 5.67
Installation: Unilin 2G Angle / Tap
Moldings: Over-Lap Reducer, T-Molding, Flush Stair Nosing, ¼ Round & Heat Vents, Slim Trim 3 in 1, and Versa Edge
Packaging: 29.52 S/F Cartons, 10 Planks per Ctn. Pallet 55 Ctns.

COMMERCIAL WARRANTIES

Lifetime Limited Structure
Lifetime Limited Waterproof
Lifetime Limited Petproof
30 Year Limited Commercial Wear Warranty


RESEDENTIAL WARRANTIES

Lifetime Limited Structure
Lifetime Limited Waterproof
Lifetime Limited Petproof
Lifetime Limited Residential Wear Warranty

CERTIFICATIONS:

floor score
CARB 2 COMPLIANT
PHTHALATE FREE
International Organization for Standardization ISO 9001

INFINITI LVT CONSTRUCTION





Infiniti Features & Benefits







Features/ Benefits	Infiniti	LVT
Hides Sub-Floor Imperfections	Yes	No
Minimal Floor Preparation	Yes	No
Easy to Install Installation	Yes	No
Waterproof	Yes	No
No Acclimation Period	Yes	No
Quietter/ Reduces Sound Transfer	Yes	No

Features/ Benefits	Infiniti	LVT
Installation over Hard Surfaces	Yes	No
Enhanced Dimensional Stability	Yes	No
Pre-Attached Underlayment	Yes	No
Stable in Direct Sunlight	Yes	No
Large Areas Do Not Require Expansion Moldings	Yes	Yes

TESTING DETAILS

Dimensional Stability: ASTM F2199 - PASSED
Heat Stability: ASTM 1514 - PASSED
Light Stability: ASTM 1515 - PASSED
Residual Indentation: ASTM F1914 - PASSED
Static Load: ASTM F970 - PASSED
Stain Resistance: ASTM F925 - PASSED
Slip Resistance (Static Coefficient of Friction): ≥ 0.5
Fire Performance (Critical Radiant Flux): ASTM E648 – CLASS 1, ≥ 0.45
Impact Sound Testing: IICc-28 ΔIIC = 23db
STC Sound Testing: ASTM E 90-2009 (R2016) – STC 62
IIC Sound Testing: ASTM E 492-09 (2016)ε1 – IIC 65

SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

Terra Legno, Ltd./Dyerich Flooring

35 Dale Ave, Paterson, NJ, United States

For the following product(s):

Vinyl Tile:

Engineer LVT

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

FloorScore®

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m^3 (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Registration # SCS-FS-05723

Valid from: November 1, 2020 to October 31, 2021

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, http://www.scsglobalservices.com/certified-green-products-guide.

floor score

CERTIFIED BY SCS Global Services

ANSI ACCREDITED

ISO/IEC 17065
Product Certification Body
#0821

SCSglobal SERVICES

Stanley Mathuram, PE, Vice President

SCS Global Services

2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA

Infiniti Custom Made

Infiniti Custom Made to Order offerings are specifically manufactured to your specifications addressing a project's performance, and budget expectations. Infiniti's design options feature the looks of natural wood and stones, as well as textiles and concrete looks. Infiniti Custom Made to Oder products have a minimum production quantity of 6,000 S/F. Infiniti Custom Made to Order products lead times will on average range from 60 to 90 days based on the specification's format style and design.





Infiniti Custom Made Specifications

SPECIFICATIONS

Classification: ASTM F-3261-17 Resilient flooring in modular format with Rigid Polymeric Core
Production Methods: Direct Hot Press (Embossed) & AB Hot Pressed with EIR(Embossed In Register)
Standard Film / Color Patterns: 40 Woods and 30 Natural Stones, Textile, and Concretes
Film / Color Patterns: Custom Made to Order: Colors, Woods, Natural Stones, Textile, Concretes, Abstracts
Design: Planks, Tiles and Herringbones
Plank Widths: 5", 7", 9"
Plank Lengths: 4', 5', 6' and 1' – 6' Random Lengths
Tile Sizes: 12 x 24" & 18 x 24"
Herringbone: 29.5" x 4.92"
SPC & WPC Core Dimensions: 4.mm – 12mm
Commercial Wear Layer: 0.5mm / 20mil
Residential Wear Layer: 0.3 mm / 12 mil
Wear Layer Top-Coat Finish: Polyurethane with Ceramic Beads
Standard Backings: IXPE Foam & Cork
Edges: Square Edge and Micro-beveled Edges
Embossed: Yes
Embossed In Register: Yes
Installation: Unilin 2G Angle / Tap
Moldings: Over-Lap Reducer, T-Molding, Flush Stair Nosing, ¼ Round, and Heat Vents, Slim Trim 3 in 1, and Versa Edge


COMMERCIAL WARRANTIES


Lifetime Limited Structure
Lifetime Limited Waterproof
Lifetime Limited Petproof
30 Year Limited Commercial Wear Warranty

RESEDENTIAL WARRANTIES

Lifetime Limited Structure
Lifetime Limited Waterproof
Lifetime Limited Petproof
Lifetime Limited Residential Wear Warranty

INFINITI LVT CONSTRUCTION






Dimensional Stability: ASTM F2199 - PASSED
Heat Stability: ASTM 1514 - PASSED
Light Stability: ASTM 1515 - PASSED
Residual Indentation: ASTM F1914 - PASSED
Static Load: ASTM F970 - PASSED
Stain Resistance: ASTM F925 - PASSED
Slip Resistance (Static Coefficient of Friction): ≥ 0.5
Fire Performance (Critical Radiant Flux): ASTM E648 – CLASS 1, ≥ 0.45
Impact Sound Testing: IICc-28 ΔIIC = 23db
STC Sound Testing: ASTM E 90-2009 (R2016) – STC 62
IIC Sound Testing: ASTM E 492-09 (2016)ε1 – IIC 65

Infiniti | Custom Made Wood Designs





Livingston



Teepee



Putty Beige



Mayan Gold



Golden Hue



Leather Satchel



Calm Sable



Elk Horn



Pointz Gray



Nature's Scenery



Ferret Brown



Frontier Road



Chestnut



Oriental Ginger



Oat Barn




Stampede




Hidden Treasure



Desert Khaki



Snowfield



Deep Earth



Whale Gray



Sharkfin



Element



Drizzling Mist



Arctic Shadow



Kettle Black



Volcanic Ash



Rocky Road




Charcoal




Mushroom

Infiniti | Stones, Concretes, & Textiles






Cool Gray




Twilight




Ecru




Latte




Perfectly Gray




Burlap



Bluegrass



Abstract Gray



Ash



Coffee



Bianco Carrera




Pearl Gray



Manhattan




Concrete



Sandstone



Cantabria Marfil



Bronx



Coastal Sand



Jasba Gris



Dolphin Gray



New York



Queens



Brooklyn



Cross Cut Travertine



Sable



Metal Gray



Graphite



Los Angeles



Chicago



Java



Contact Us:

Terra Legno, Ltd.
T. (800) 393-7424
Or (973) 357-0600
E. info@terralegno

Toronto Showroom
160 Tycos # 128
Toronto, ON M6B 1W8
M-F 9AM-5PM