



Northern
WIDE PLANK

ACCESSORIES
SPECIALTY WIDE PLANK FLOORING

SQUARE PROFILE NOSING

To solve a common challenge of trying to colour match your nosing onsite, we custom craft nosing to order for a very accurate match to the floor. It creates a seamless look and finishes off nicely showing perfection in the small details.



COLLECTION	WIDTH	LENGTH(S)
ARTIFAX	152 mm (6")	1524 mm (5') / 2438 mm (8')
WIXOM	180 mm (7.1")	1950 mm (6.4') / 2400 mm (7.9')
VIRLOAK	189 mm (7.4")	1860 mm (6.1')
ICONIC	178 mm (7")	1524 mm (5') / 2438 mm (8')
DIMENSIONS	178 mm (7")	2134 mm (7')

FLUSH MOUNT FLOOR VENTS

Creating a seamless flow in the floor with a flush fit, these floor vents are crafted from prefinished flooring for an accurate match to the floor. These vents come in one standard size of 4"x10" and can be used over 3"x10" and 4"x10" vent openings.

FOR USE OVER 3"x10"
AND 4"x10"
VENT OPENINGS



STAIR TREADS

To solve a common challenge of trying to colour match stair treads and nosing onsite, we custom craft stairs and nosing to order for a perfect match with the floor; creating a seamless look that finishes things off nicely and shows perfection in the small details.



RETURN STAIR TREAD



BOX STAIR TREAD



CANTILEVER STAIR TREAD



CAP STAIR TREAD

GEKKO G18 ADHESIVE

Gekko G18 is a solvent and water free adhesive specifically designed for bonding many types of wooden floors directly onto all common subfloors (wood, concrete etc). Gekko G18 is based on hybrid polymer technology.

For standard installation use ¼"x 1/8" x ¼" square notch trowel – spread rate is 120 sq. ft. per 3 Gallon pail.
For moisture and sound barrier use ¼"x ¼" V notch trowel – spread rate is 60 sq. ft. per 3 Gallon pail.

GEKKO G18 ADHESIVE BENEFITS

- / 100% active solvent and water free
- / Permanently flexible
- / Will bond directly to all common subfloors
- / Suitable for use with underfloor heating
- / Odourless
- / Excellent sound deadening/acoustic properties
- / Strong initial grab



3 Gallon Pail

PLANKLINER FLOOR PROTECTION

Plankliner is a nonwoven floor protection with a vapor transmitting PE sheet as a liquid resistor. Designed to cover and protect freshly laid floors, and with its slip resistant adhesive coated backing guarantees ideal grip and safe working conditions. When laying Plankliner, we recommend overlapping each row by 10 cm for appropriate protection.

PLANKLINER BENEFITS

- / Easy installation and disposal
- / Reusable
- / Non-slip back coating, self adhering to uneven surfaces or stairs
- / Vapor permeable
- / Resistant to liquids
- / Breathable



(1 roll covers approx. 544 s.f.)

MAINTAINING THE BEAUTY

Part of keeping hardwax oiled wood floors looking beautiful, is using the correct products when cleaning and caring for the floor. We recommend that you use Wash and Care whenever damp mopping your wood floor as it not only is a cleaner but also replenishes the surface and keeps the floor from drying out over time. Liquid wax cleaner can be used periodically to refresh high traffic areas and to remove tough stains.

Watch our [Cleaning and Care video](#) for an easy guide to cleaning your specialty wide plank floor.



CLEANING AND CARE PRODUCTS

The UltraSpeed Pro mop kit is an ideal solution for keeping your floors looking beautiful in the most simple and effective way. This ergonomic system makes your job easier with it's telescopic adjustable mop to your height and an easy to reach wringer so there is no need to bend over. The wide t-mop makes cleaning large areas quicker with the latest microfibre removes more dirt.

ULTRASPEED PRO BENEFITS

- / Faster wringing – simple to use and twice as fast
- / Efficient press – releases up to 50% more water
- / Floors dry faster – reduce slip hazards
- / Latest microfibre mops – better dirt removal
- / Hygienic – no hand contact with mops or cleaning solution
- / Ergonomic – lightweight, no bending to wring
- / Telescopic handle adjustable to your height
- / Compact – small footprint for space saving storage

