



Wall Applications

Garrett

Leather



Table of Contents

Introduction	2
Harcourt London	
Alpine Tiles	4
Cast Panels	8
Pitched Panels	12
Approved Leathers	16
Installation	17
Garrett Leather	
Wall Panels	18
Woven Panels	20
Wall Tiles	21
Approved Leathers	24
Specifications	25
Installation	27
Patterns	28

Garrett Leather is the leading brand of premium Italian upholstery leather. Garrett Leather Wall Panels and Wall Tiles offer a luxurious touch for vertical applications. Designers enjoy creative freedom with over 600 color options in a variety of finishes, patterns, and textures.

Garrett Leather Wall Panels and Wall Tiles have been specified for corporate offices, executive boardrooms, reception areas, hotel rooms, and for private residences.




Garrett Leather Designed by Harcourt London

Garrett Leather has partnered with Harcourt London, leather specialists from the United Kingdom. With innovative vision, design excellence, and meticulous attention to detail, Harcourt London fabricates three styles of wall panels and tiles exclusively for Garrett Leather.


Alpine Tiles are a modern take on the rugged peaks of the Italian Alps. Each tile overlaps for a beautiful three dimensional pattern. Alpine Tiles consist of Garrett leather adhered to a fire-rated PVC backer. Bespoke designs are possible with over 600 colors from which to select and optional decorative stitching.




Leather | Caressa Vellum, Caressa Taffy,
Kenya Crimson, and Shagarrett Calypso





Decorative Stitching



Sideview



Sample Layout




Leather | Native Apache, Berkshire Khaki, Mystique Rustique, and Luxianna Root Beer


Inspired by the architecture of the buildings and bridges of Harcourt's home city of London, Cast Panels combine bold lines with shadow play and luxurious leather. Cast Panels highlight beautiful designs on sturdy MDF substrate.



Leather | Native Mohican, Avion Caramel,
Resilience Marble, Caressa Pastel



Sample Layout




Drawing from the design of skyscrapers, Pitched Panels evoke a modern luxury when finished in Italian leather. All Pitched Panels are made with a strong aluminum substrate wrapped in almost any Garrett color. Pitched Panels are lightweight and fireproof to meet industry flammability requirements.




Leather | Caressa Porcelain, Berkshire Royal,
Chatham Wedgewood, and Caressa Sunflower

Pitched Panels


Flat Panels



Side Views



Sample Layout



✓ > Approved leather

* > Approved leather with limitations (see notes below)

	Pitched Panels	Alpine Tiles	Cast Panels
Allura <i>(coming soon)</i>	✓	✓	✓
Avion	✓	✓	✓
Berkshire	✓	✓	✓
Cadence	✓	✓	✓
Caressa	✓	✓	✓
Capelli Natural	✓	✓	*
Capelli Specialty	✓	✓	*
Capelli Stenciled	✓	✓	*
Chatham	✓	✓	✓
DiModa Cobra	✓	✓	*
DiModa Gatora	✓	✓	*
Distressed	✓	✓	✓
Flight	✓	✓	✓
Glazed	✓	✓	✓
Kenya	✓	✓	*
Luxianna	✓	✓	✓
Mystique	✓	✓	*
Mystique Croco	✓	✓	*
Native	✓	✓	✓
Newport Club	✓	✓	*
Pearlessence	✓	✓	✓
Resilience	✓	✓	✓
Shagarrett	✓	✓	*
Sierra	✓	✓	✓
Torino	✓	✓	*
Vintage	✓	✓	✓

Cast Panels

Leather Collections

- Capelli Natural

Capelli Specialty

Capelli Stenciled

DiModa Cobra

DiModa Gatora

Kenya

Mystique

Mystique Croco

Newport Club

Shagarrett


Torino

Notes

These leather collections may be used on blank panels only - they are not recommended for the feature V & X panels.

Alpine Tiles - Drilled Board

Alpine Tile orders include pre-drilled boards and mounting pegs for easy installation. Simply attach the boards to the wall, then install the tiles using the pegs provided. Detailed installation instructions are included with each order.



Cast Panels - Fast Mount

The Fast Mount system includes all of the components needed for easy installation. A plywood base for the wall is required. Female parts are installed to the back of the panels, which have pre-drilled holes. Tools are provided to easily mark where holes need to be drilled on the wall to attach the male pieces. Once attached, the panels simply clip to the wall. Detailed installation instructions are included with each order.



Pitched Panels - Rails

Pitched Panels are installed using a vertical rail system. Simply secure the rails to the wall surface. The Pitched Panels easily hook into the rail system. Detailed installation instructions are included with each order.



Wall Panels may be specified as either flat or padded. Each panel is custom handcrafted in the U.S.A. with any Garrett leather wrapped around ½ inch thick routed MDF substrate.

Choose from over 600 leather colors in a variety of textures, including Sheepskin and Capelli. Impress and Perforated patterns provide additional texture. Decorative stitching is optional for flat Wall Panels only.

Flat Wall Panels | Caressa Raindrop
Designer | PDR
Photographer | Gray City Studios




6" x 12" Padded Wall Panels
Pearlessence Palladium | Shagarrett Ray
Kenya Clay | Avion Bungee Cord

Woven Panels are custom handcrafted in the U.S.A. with Garrett Wovens® wrapped around ½ inch thick MDF substrate.

Choose from various Garrett Wovens® patterns, including all leather or leather/fabric.

18" x 18" Woven Panels
Maple/Camel Checkerboard



Wall Tiles are custom made in the U.S.A. with any Garrett leather adhered to recycled leather backer.

Choose from over 600 leather colors in a variety of textures, including Sheepskin and Capelli. Impress and perforating patterns provide additional texture.

Decorative stitching is optional.

Double Stitched Wall Tiles
Leather | Native Apache
Designer | IM Design LLC
Photographer | Forest Productions, Michael Mandolfo



12x12" Wall Tiles
Leather | Capelli Specialty Pandora White



4" x 4" Wall Tiles
Leather | Shagarrett Ray
Designer | Erik Kolacz, Contrast Design Group

✓ > Approved

	Wall Panels	Wall Tiles
Allura (coming soon)	✓	✓
Avion	✓	✓
Berkshire	✓	✓
Cadence	✓	✓
Caressa	✓	✓
Capelli Natural	✓	✓
Capelli Stenciled	✓	✓
Capelli Specialty	✓	✓
Chatham	✓	✓
DiModa Cobra	✓	✓
DiModa Gatora	✓	✓
Distressed	✓	✓
Flight	✓	✓
Glazed	✓	✓
Kenya	✓	✓
Luxianna	✓	✓
Mystique	✓	✓
Mystique Croco	✓	✓
Native	✓	✓
Newport Club	✓	✓
Pearlescence	✓	✓
Resilience	✓	✓
Shagarrett	✓	✓
Sierra	✓	✓
Torino	✓	✓
Vintage	✓	✓

Sizes



18" x 18"



12" x 12"



8" x 8"



4" x 4"



4" x 8"



2" x 10"

Custom sizes are available.

Stitching

Decorative stitching is optional for flat Wall Panels and Wall Tiles. Standard stitching includes a single stitch ¼ inch inset from the edge of the tile or panel. Decorative stitching options include:



Single stitch



Double stitch



Straight stitch



Wave stitch



Arrow stitch

Custom stitching is available.

Specifications

- Most Garrett Leather products are GREENGUARD certified.
- All tiles and panels are produced on a made-to-order basis. Please allow 10-12 weeks for delivery.
- All MDF substrate is cut on a computer numeric control (CNC) machine.
- ASTM E84 Class A materials can be used in construction. Please contact your sales representative for details.
- No added urea formaldehyde (NAUF) MDF is used exclusively to protect the health of those handling and living with Garrett Leather Wall Panels.

Style:	Wall Tile	Woven Panel	Flat Panel	Padded Panel
Content:	Specified leather adhered to recycled leather backer.	Garrett Wovens® fully wrapped and secured around routed MDF substrate.	Specified leather fully wrapped and secured around routed MDF substrate.	Specified leather fully wrapped and secured around foam topped, routed MDF substrate.
Thickness:	⅛ inch	⅝ inch	⅝ inch	¾ inch
Installation Method:	Contact cement	Z clip system, 3M™ Dual Lock™, or drywall adhesive	Z clip system, 3M™ Dual Lock™, or drywall adhesive	Z clip system, 3M™ Dual Lock™, or drywall adhesive

Noise Reduction Coefficient Ratings

Wall Panels and Woven Panels are an elegant option for interior wall coverings, providing beautiful color and texture, added warmth, and reduced noise. Compared to other vertical surface materials, leather provides superior noise reduction.

Material	NRC Rating
Brick (painted)	.00 - .02
Brick (unpainted)	.00 - .05
Glass	.05 - .10
Plaster	.05
Plywood	.10 - .15
Wood	.05 - .15
Carpet	.15 - .20

Garrett Leather Padded Wall Panels

.35 Noise Reduction Coefficient

.37 Sound Absorption Average

It is important to note that some materials absorptive properties can range dramatically depending upon numerous variables.

Installation Tips

- Wall Panels and Wall Tiles should be one of the last components of the construction site to be installed to minimize the amount of dirt and debris in the area. The installation site should be clean and dust-free prior to unpacking the tiles or panels.
- As a natural product, Wall Tiles should acclimate at the installation site for a minimum of 24 hours for optimal results.
- Shipping packages should be opened with care to prevent damage from knives or blades to the contents of the boxes.
- Leather is a natural product. Subtle variations in color and shading are to be expected.
- Detailed installation instructions are available upon request.
- Contact Garrett Leather for assistance in finding a professional installer.

Wall Tiles - Contact Cement

Wall Tiles are installed easily and securely using water-based contact cement. Using a roller, spread the adhesive on the wall and on the back of the tiles. Detailed installation instructions are included with each order. Contact cement is GREENGUARD certified and sold by the gallon.




Wall Panels and Woven Panels - Dual Lock

Dual Lock™ can be used for a quick, easy, and inexpensive installation. Dual Lock™ is a reclosable fastener with mushroom shaped stems that provide a strong bond (up to 40 lbs per square inch). The product comes unmated and is one-sided, meaning it bonds to itself. Staples are recommended as a secondary means of adhesion. Detailed installation instructions are included with each order. Dual Lock™ is ½ inch wide and is sold by the yard.




Wall Panels and Woven Panels - Z Clip System

Z Clip System offers a secure method for hanging wall panels. Panels can be easily removed and replaced if needed. Z Clip installation can be performed on almost any wall or ceiling structure. The components include Z Track that is adhered to the wall and Z Clips that are adhered to the panel backs. The clips easily hook onto the track. Complete installation instructions are included with each order. Z Track is sold in 6' pieces. Z Clips are sold in packs of 20.




Basket Weave




Illustrated: 4" x 8" padded wall panels.

Basket Weave Alternating




Illustrated: 4" x 8" padded wall panels and 8" x 8" flat wall panels.

Windmill




Illustrated: 4" x 8" padded wall panels and 4" x 4" flat wall panels.

Corridor




Illustrated: 4" x 8" and 8" x 8" flat wall panels or wall tiles.

Brickwork




Illustrated: 4" x 8" flat wall panels or wall tiles.

Brickwork Square




Illustrated: 8" x 8", 12" x 12", or 18" x 18" padded wall panels.

Chevron




Illustrated: 2" x 10" parallelogram wall tiles or flat wall panels.

Herringbone




Illustrated: 4" x 8" padded wall panels.

Diamond




Illustrated: 4" x 4", 4" x 8" and 8" x 8" padded and flat wall panels.

Stepping Stone




Illustrated: 8" x 8" and 4" x 4" flat wall panels or wall tiles.

Checker Board




Illustrated: 4" x 4", 8" x 8", 12" x 12", or 18" x 18" flat and padded wall panels.

Pinwheel




Illustrated: 4" x 8" and 4" x 4" padded wall panels.

Hopscotch




Illustrated: 8" x 8" and 4" x 4" flat wall panels or wall tiles.

Pediment




Illustrated: 4" x 8", 8" x 8", and 12" x 12" padded wall panels.

Slanted Brickwork




Illustrated: 2" x 10" parallelogram wall tiles or flat wall panels.

Matrix




Illustrated: 4" x 4", 8" x 8", and 12" x 12" padded and flat wall panels.

Canestro




Illustrated: 8" x 8", 4" x 4", and 4" x 8" padded wall panels.

Arrowhead




Illustrated: 2" x 10" parallelogram wall tiles or flat wall panels.

Vectored



Illustrated: 8" x 8", 4" x 4", and 4" x 8" flat wall panels or wall tiles.

Corridor Layered



Illustrated: 4" x 4", 8" x 8", and 4" x 8" padded and flat wall panels.

