Fitness | Ice Arenas | Schools | Ski Resorts

SPORT MAT

by dinoflex



Recycled
Rubber Flooring

Let Us Introduce Ourselves

Dinoflex has been a leading innovator in the manufacture of recycled rubber products for over two decades. We specialize in producing premium quality rubber flooring, exterior tiles and custom products. Our merchandise provides solutions for architects, designers and builders that are cost effective and environmentally friendly.

Sport Mat Flooring

Dinoflex has the perfect product for indoor fitness and sports facilities. Our incredible Sport Mat flooring is installed with ease and provides a durable, long-lasting solution for everything from weight rooms, and ice arenas, to multi-purpose recreation centers and ski resorts. It reduces noise levels, absorbs shock, prevents slipping and is environmentally friendly. This innovative flooring is available in our precision cut interlocking tiles and square cut tiles.

Testimonials

From Kyle Rhodus, Athletic Director
MWR Yokosuka, Japan

"The Dinoflex flooring has been an excellent upgrade to our fitness facility. It was easy to install, and immediately transformed the professional look of our gym. Since our first installation I have ordered this flooring for all my facilities."

Note: in total Kyle has ordered enough Sport Mat and Logo tiles to cover 34,210 sf of fitness flooring in Yokosuka.

From Diane Wilson, General Manager
Ann Arbor Ice Cube, United States

"After ordering the Dinoflex Sport mats for more than 8 years now, we have been "chipping away" at doing the entire lower level of our 155,000 sq ft facility. The first area we did has traffic of tens of thousands of people each year… and every place we have it still looks great. It is thick, with many colors and wears very well…even being constantly walked on with skates. I just placed an order for the USA Hockey National Team Development Program's weight room. It is easy to install and low maintenance!"

Custom Design:

By using our water cutter technology we are able to create a rubber floor that is both functional and visually appealing, achieving looks that are bold and daring, or subtle and refined. Utilize your valuable floor space by displaying company logos or brand elements throughout a facility. Write a message to customers in a strategic location or create play and learning areas for children. This technology also gives the ability to clearly mark exits or draw attention to merchandise. Bring your imagination to life – the possibilities are endless.

Custom Color Mixing

60% Black

+

20% Purple

+

15% Turquoise

+


5% Royal Blue

=



Custom Color Match Service:

- Available for square cut and interlocking tiles.
- Create your own custom floor colors. The following colors are available for custom design:

Red


Blue

Beige

May Green


Purple

Orange

Grey

Brown

Hot Tamale


Royal Blue

Eggshell

Pastel Green

Blue Grey

Earth Yellow

Ash Grey

Sepia Brown


Rose

Ultra Marine Blue

Pearl

Ocean Green

Pine Green

Khaki

Fawn

Charcoal

Heather Violet

Capri Blue

Aqua

Turquoise

Reed Green

Contact your sales rep for more information.

Note: Please select colors based on actual samples.

Colors:

Standard Colors


10% Beige - 5122


10% Blue - 5120


10% Brown - 5111


10% Green - 5119


10% Grey - 5121


10% Red - 5118


30% Beige - 5322


30% Blue - 5320


30% Brown - 5311


30% Green - 5319


30% Grey - 5321


30% Red - 5318


50% Beige - 5522


50% Blue - 5520


50% Brown - 5511


50% Green - 5519


50% Grey - 5521


50% Red - 5518

Two-Color


10% Beige/Grey
5148


10% Blue/Green
5134


10% Blue/Grey
5145


10% Red/Grey
5125

Note: Please select colors based on actual samples.

Metro


Metro Beige
214F06


Metro Blue
214F5D


Metro Green
214FL3


Metro Grey
214F05

Stone Line

Earthstone Beige
5004F6


Earthstone Orange
5004F9


Earthstone Red
5004H3


Seastone Blue
5004U7


Seastone Green
5004U2


Seastone Turquoise
5004U8

Decor Collection


Aztek Empire
5304HE


Deep Sea
5304HB


Independance
5304HA


Lunar Showers
5314H9


Mayan Sands
5314H4


Night Sky
5304U3

Granite Flex


Green
53P119


Green/Beige
54P436


Green/Grey
54P435


Grey
53P121


Grey/Beige
54P448

Grey/Grey
54P4Q9


Red
53P118


Red/Beige
54P426


Red/Grey
54P425

Elite Line


Gibraltar Grey
014C5


Mediterranean Blue
014C3


Sahara Beige
014C9


Sunset Red
014C4


Tropical Green
014C6


Tuscany Grey
014E7

Interlocking System - Loose Lay Flooring

Dinoflex CNC water jet equipment creates our tight fitting, precision cut interlocking tiles, resulting in a seamless, unified look for indoor spaces. These fully reversible tiles double the life of your floor and installation costs are reduced because adhesives are not required.

*Square cut tiles are also available for glue down applications where required



Hockey is His Expertise, **Flooring** is Ours.

"I recently decided to upgrade the flooring in my training facility – the room where I spend a great deal of my time. I wanted a high-quality product that was visually pleasing and easy to maintain. I also needed it to be durable enough to withstand rigorous everyday use... The finished floor is exactly what I envisioned. I am completely satisfied with Dinoflex's work and I would highly recommend them for any flooring needs."

- Endorsed by Ryan "Captain Canada" Smyth (18 Year NHL Veteran)

Features:

- Skate blade resistant
- Resistant to snow & ice
- Sound absorbing
- Shock absorbing
- Slip resistant
- Durable
- Low VOC

Applications:

- Fitness centres
- Recreation facilities
- Ski resorts
- Ice arenas

Interlock Tile (Loose Lay):

Size

- 37" x 37" = 9.5 ft^2 (94 cm x 94 cm = 0.88 m^2)

Standard Thickness

- 5/16" (8mm) , 11/32" (9mm) , 3/8" (10mm) , 1/2" (12mm)
- Tolerance of +/- 0.5mm

Square Cut Tile (Glue Down):

Size

- 38" x 38" = 10.0 ft^2 (96.5 cm x 96.5 cm = 0.93 m^2)

Standard Thickness

- 5/32" (4mm) , 3/16" (5mm) , 1/4" (6mm) , 9/32" (7mm) , 5/16" (8mm) , 11/32" (9mm) , 3/8" (10mm) , 1/2" (12mm)
- Tolerance of +/- 0.5mm

Please Note: All measurements are subject to nominal variation.

10 YEAR WARRANTY

dinoflex
recycled rubber innovators

Dinoflex
P.O. Box 3309
5590 46 Ave S.E.
Salmon Arm, B.C., Canada
V1E 4S1

Toll Free: 877.713.1899
Direct: 250.832.7780
Email: info@dinoflex.com

www.dinoflex.com

floor score by SCScertified

CHPS COLLABORATIVE FOR HIGH PERFORMANCE SCHOOLS MEMBER

CANADA GREEN BUILDING COUNCIL · CONSEIL DU BÂTIMENT DURABLE DU CANADA · MEMBER

U.S. GREEN BUILDING COUNCIL MEMBER

ecoScorecard℠

Represented By:

Publication Date:
June 2014